



- Should have an inbuilt isolation transformer
- UPS powerfactor: 0.8 or better
- The UPS shall have a minimum efficiency of 91% or better at nominal voltage and full load.

Protection features:

- The UPS shall be built with the following protective controls: input under voltage , input over voltage , output over voltage , output under voltage , output Overload
- The UPS shall have indications for the following alarm items: overload scenario, overload shutdown, rectifier fault, inverter fault, inverter output over voltage
- The UPS module shall be self-protected against over current, sudden changes in output load and short circuits at the output terminals. At the end of the battery discharge limit, the UPS module shall shut down without damage to the internal components.

Backup time: at full load (~12kW), 1 hour backup.

Warranty: 3 yr comprehensive onsite warranty on inverter and original manufacturer's warranty on batteries.

**1. Date & Time of Submission: 05.12.2016(Up to 05:30 P.M.)**

**2. Date & Time of Opening: 06.12.2016(At 11:30 A.M.)**

All other Terms & Conditions of our Tender No. NC-194-SBS-NP-M&E-16-17 will remain same.



Stores & Purchase Officer



राष्ट्रीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, भुवनेश्वर  
(परमाणु ऊर्जा विभाग, भारत सरकार का एक स्वयं शासित संस्थान)  
**NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, BHUBANESWAR**  
(AN AUTONOMOUS INSTITUTE UNDER DEPT. OF ATOMIC ENERGY, GOVT. OF INDIA)

**NIT LIMITED NO. NC-194-SBS-NP-M&E-16-17**

**30 KVA ONLINE UPS**

**NATIONAL INSTITUTE OF SCIENCE EDUCATION & RESEARCH**  
**JATNI CAMPUS, P.O.: JATNI,**  
**Khurdha-752050**

**Tender Notice No. NIT Limited NO. NC-194-SBS-NP-M&E-16-17**

Sealed Tenders are invited on behalf of the Director, National Institute of Science Education and Research, Jatni from the manufacturers (Indian or Foreign) and their authorized reseller/Indian agent only for supply & installation of the following item:-

Sl. No.	Name of the Items	Name of Department	Indent No.	Qty.	EMD in INR
1.	30 KVA ONLINE UPS	School of Biological Science	NC-194-SBS-NP-M&E-16-17	3 Nos.	22000.00

Detail Tender Document can also be downloaded from the NISER web-site address:  
<http://www.niser.ac.in> directly.

NISER reserves the right to accept or reject any or all the Tenders without assigning any reason.

**Terms & Conditions: -**

As per attached sheet

**Yours faithfully,**

**Stores & Purchase Officer**

**PART - 1**  
**TERMS & CONDITIONS**  
**FOR SUPPLY AND INSTALLATION**  
**OF**  
**UPS (30 KVA ONLINE)**  
**FOR**  
**NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI**

**PART - 1**  
**TERMS & CONDITIONS**

1. Sealed tenders are invited for supply and installation of UPS in the National Institute of Science Education and Research. The tender document consists of the following two parts.

**Part-1: "TERMS & CONDITIONS" & "TECHNICAL BID" of the tender.**

**Part-2: "FINANCIAL BID" of the tender.**

2. The bidder must attach the at least 03 Purchase Order copy for Supply & Installation of above equipments during the last 01 financial years in State Government or Govt. of India Department(s) /Reputed Organization(s) (in Nos. and Value). Please attach a list of clients.
3. The bids submitted by the vendors should be valid for a minimum period of 90 days from the date of the opening of tender and the prices should be valid till execution of purchase agreement.
4. The sealed envelope containing "The Bid" on prescribed tender document of the NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH should reach the Stores & Purchase Officer, National Institute of Science Education and Research, JATNI on or before **21.11.2016 up to 5:30 P.M.** otherwise the tender will not be accepted.
5. The sealed envelope of the bidders shall be opened on **22.11.2016 at 11:30 A.M.**
6. For further information/clarification in this respect, please contact Mr. Dinesh B. Singh on e-mail [db Singh@niser.ac.in](mailto:db Singh@niser.ac.in) only e-mail inquiries will be entertained.
7. The supply and installation of the above equipments shall be made by the vendor within 4 -6 weeks from the date of issue of the purchase order.
8. All the items to be supplied should be new, of good quality and standard and as per the technical specifications mentioned in technical bid document.
9. Discount: Any conditional discount will lead to the rejection of your tender.
10. The vendor will provide operational manuals, OEM documents for peripherals, set of diagnostics to test all the sub-systems etc. along with the systems.
11. The installation of above equipments will be at the National Institute of Science Education and Research, JATNI., Khurda, which is about 30 km away from Bhubaneswar on NH-5
12. The prices quoted in the technical/financial bid should be inclusive of power cables, interface cables, packing, and forwarding, freight up to NISER, JATNI, transit insurance and installation charges at sites. Excise duty and trade tax if applicable should be quoted separately at the appropriate columns provided for them in the technical/financial bid (NATIONAL INSTITUTE

OF SCIENCE EDUCATION AND RESEARCH is exempted from Excise Duty). In case of import the NISER will arrange the clearance from Kolkata Airport. All the expenses, like Import duty, Entry tax, and insurance will be added in your cost to calculate landed cost. (NISER is exempted from Custom Duty. The present rate is approx. 5.13%).

13. In case, excise duty and/or trade tax/sales tax are reduced or increased subsequently by the Government at the time of placement of the purchase order or delivery, then the same will be adjusted by either party on production of requisite proof.
14. Payment for the items to be supplied by the vendor against the purchase order shall be made by NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH as follows:-

100% payment will be made within 45 days after successful installation and submission of all original documents (including delivery Challan, warranty certificate, installation report)

**The tenderers, who are not agreeing to above payment terms, are requested not to submit their tender.**

15. The equipments will carry three years on site comprehensive OEM warranty. Warranty period Will start from the date of successful installation of all the items at site.
16. Parties should specify the make and model of each Item along with all other details.
17. The tender must be submitted on the prescribed tender document issued by the NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH. Any other technical details required to supplement the information quoted in the prescribed tender document may please be attached separately. The information asked in the tender document should be given at the place provided for it in the tender document. The tenders in which information is not given at the place provided for it or not in the similar format given in the tender document may be rejected.
18. Printed conditions of the vendor submitted with the tender will not be binding on NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH.
19. The documents containing bids shall be free from cutting and erasures. However, alterations, if any, in the tender should be attested properly by the bidder, failing which the tender is liable to be rejected.
20. The tenders submitted by telex/telegrams/fax/email will not be considered. No further correspondence will be entertained on this matter.
21. NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH will not be responsible for any delay in obtaining the tender document by the vendor from NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH or submission of the completed tender document to NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH.
22. The registration number of the firm along with the CST/VAT No. allotted by the sales tax / trade tax authorities and I.T. registration number (P.A.N.) along with the place of registration should invariably be given along with the technical bid.
23. Tender not conforming to any or all the above terms and conditions will be rejected.
24. Incomplete tenders are liable to be rejected.

25. NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH reserves the right to increase/decrease the specified quantities of any item(s) given in the tender.

26. NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH reserves the right to reject any or all the tenders without assigning any reason whatsoever. NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH would not be under any obligation to give any clarifications to those vendors whose tenders have been rejected. The decision of Director, NISER is final and binding in case of any dispute arising out of this contract between both the parties.

(Deepak Srivastava)  
**Stores & Purchase Officer**

---

#### DECLARATION BY THE VENDOR

It is hereby declared that I/We the undersigned, have read and examined all the terms and conditions etc. of the tender document for which I/We have signed and submitted the tender under proper lawful Power of Attorney. It is also certified that all the terms and conditions of the tender document are fully acceptable to me/us and I/We will abide by the conditions from serial no. 1 to 26. This is also certified that I/We/our principal manufacturing firm have no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Date:

Signature:

Address:

Name:

Designation:

On behalf of:

(Company Seal)

**SUPPLY AND INSTALLATION  
OF  
UPS (30 KVA ONLINE)**

**FOR  
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI  
TECHNICAL SPECIFICATION**

S. No.	Item Specification	Offered specification with Make & Model No. please specify any deviation if any. Please attach separate sheet if required
(1)	(2)	(3)
	<b>30 KVA ONLINE UPS (NC-194-SBS-NP-M&amp;E-16-17)</b>	
	<p><b><u>Specifications:</u></b></p> <p>1. The UPS module shall consist of a solid state SCR rectifier/battery charger, a solid state PWM inverter, a static bypass switch, external battery cabinet, protective fuses, synchronizing circuitry, protective devices, and accessories as specified here that shall automatically effect continuity of electric power within specified tolerance without interruption – upon failure or deterioration of the normal AC power source. Continuity of electric power to the load shall be maintained for an emergency period with the inverter supplied by the battery, up to the specified protection time or until restoration of the normal input AC power.</p> <p>2. The UPS shall be a standard product of the manufacturer and shall be the manufacturer's latest design that complies with the specification requirements hereafter.</p> <p>Standards: In general, the UPS shall be in line with latest edition of relevant IS / BS / IEE / IEC / JIS standards.</p> <p><u>Specifications:</u></p> <p>1. type: true online; AC line power shall be supplied continuously to the UPS. The system's output shall be connected to the critical load within the specified voltage and frequency range in order to provide clean, regulated AC power.</p> <p>2. UPS capacity : 30 kVA</p> <p>3. The UPS control operations are executed through the use of microprocessor controlled logic.</p> <p>4. Inverter technology: IGBT based, provides sinewave output</p> <p>5. Input: single phase, 175-285 v, normal wall outlet power source; also should be able to work with diesel generator power supply.</p> <p>6. output: 230 v <math>\pm</math> 2%, single phase AC. The UPS output shall be derived from a pulse width modulation (PWM) variable frequency and variable pulse width, transistorized-type inverter design and utilize insulated gate bipolar transistor (IGBTs). The inverter shall be capable of providing the specified precise output characteristics while operating over the battery voltage range.</p> <p>7. UPS powerfactor: 0.8 or better</p> <p>8. The UPS shall have a minimum efficiency of 91% or better at nominal voltage and full load.</p>	



	<p><u>Protection features:</u></p> <ol style="list-style-type: none"> <li>9. The UPS shall be built with the following protective controls: input under voltage , input over voltage , output over voltage , output under voltage , output Overload</li> <li>10. The UPS shall have indications for the following alarm items: overload scenario, overload shutdown, rectifier fault, inverter fault, inverter output over voltage</li> <li>11. The UPS module shall be self-protected against over current, sudden changes in output load and short circuits at the output terminals. At the end of the battery discharge limit, the UPS module shall shut down without damage to the internal components.</li> </ol> <p>Backup time: at full load (~12kW), 1 hour backup.</p> <p><b>Warranty: 3 yr comprehensive onsite warranty on inverter and original manufacturer's warranty on batteries.</b></p>	

**Note: - Parties must mention make & model no. of the equipment offered by them, with detailed specification (on separate sheet). Otherwise their tender will not be accepted.**

**FINANCIAL BID**  
**FOR SUPPLY AND INSTALLATION**  
**OF**  
**UPS 30 KVA ONLINE**  
**FOR**  
**NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH,**  
**JATNI**

Sl. No.	Systems	Approx. Qty.	Unit Price including all taxes, freight, Insurance and Entry Tax (delivered at NISER, Jatni Campus), service charges, installation and warranty charges in INR
(1)	(2)	(3)	(4)
1.	<b>UPS (30 KVA ONLINE)</b>	<b>3 No.</b>	
	NC-194-SBS-NP-M&E-16-17		
	Detailed technical specification as per Technical bid.		
2.	<b>Above item should carry three years onsite comprehensive OEM warranty. In case the tendered provide warranty less than 03 years then he has to give justification for lesser period of warranty. Without justification his tender is liable to be rejected.</b>		

ALL ABOVE ITEMS ARE ON 3 YEARS ONSITE FULL COMPREHENSIVE OEM WARRANTY.

Date:

Address:

(Company Seal)

Signature:

Name:

Designation:

On behalf of:

**NATIONAL INSTITUTE OF SCIENCE EDUCATION & RESEARCH  
JATNI CAMPUS, P.O.: JATNI,  
KHURDA-752 050**

**Tender Notice No. NIT Limited NO. NC-194-SBS-NP-M&E-16-17**

**CHECK LIST**

Your bid should accompany with following documents. Please enclose the required document and put (√) mark in the check list where ever applicable.

<b>Sl. No.</b>	<b>Description of Documents</b>	<b>Enclosure</b>
1.	Acceptance of Declaration by the Vendor enclosed with terms & conditions	Yes / No
2.	At least 03 Purchase Order copy for Supply & Installation of above equipments during the last 01 financial years in State Government or Govt. of India Department(s) /Reputed Organization(s) (in Nos. and Value). Please attach a list of clients.	Yes / No
3.	Trade Tax / Sales Tax Registration no. with Place	Yes / No
4.	Income Tax Registration no. with place	Yes / No
5.	Detailed technical description of the item	Yes / No
6.	Detailed filled Financial Bid	Yes / No
7.	Authorisation letter in letter head duly signed by the authorised signatory for allowing your representative to attend the tender opening meeting.	Yes / No

Signature of the Authorised Signatory with Date  
(with Company Seal)