

CSIR-INSTITUTE OF MINERALS & MATERIALS TECHNOLOGY.

(A Govt. of India Autonomous Body)

Environmental Chemical Laboratory

Bhubaneswar, Odisha

(An NABL Accredited Laboratory)



Certificate No. : T-8001

TEST REPORT

Issued to: NISER , Bhubaneswar

Date:06.07.2020

Test Report No. 2005CH035

Source of Sample : Niser Admin Building

Bottle Seal no if any:01

Sample Received on: 19.06.2020

Type of Sample :

Letter Reference :

Sl No	Characteristics	Test Method (P) of IS:3025	Requirements as per IS 10500:2012(Latest Version)		Test Result
			Acceptable limit	Permissible Limit	
1.	*Color, Hazen units	Part 4	5	15	<5
2.	*Odour	Part 5	Agreeable	Agreeable	Agreeable
3.	Turbidity, NTU	Part 10	1	5	0.05
4.	pH@Temp ° C	Part 11	6.5-8.5	No relaxation	7.52@25.1
5.	*Conductivity, µs/cm	Part 14	-	-	108
6.	*Total Suspended Solid, mg/l	Part 17	-	-	0.02
7.	Total Dissolved Solids mg/L	Part 16	500	2000	76.0
8.	Total Hardness (as CaCO ₃),mg/L	Part 21	200	600	30.0
9.	Calcium as Ca, mg/L	Part 40	75	200	10.42
10.	Magnesium as Mg, mg/L	Part 46	30	100	0.97
11.	Alkalinity as CaCO ₃ , mg/L	Part 23	200	600	24.0
12.	Chloride as Cl, mg/L	Part 32	250	1000	22.0
13.	Sulfate as SO ₄ , mg/L	Part 24	200	400	1.20
14.	Fluoride as F, mg/L	Part 60	1.0	1.5	0.05
15.	*Nitrite as NO ₂ ,mg/L	Part 34	-	-	0.017
16.	*Nitrate as NO ₃ , mg/L	Part 34	45	No relaxation	1.976
17.	*Residual free chlorine, mg/L	Part 26	0.02	1.0	<0.001
18.	Sodium, mg/l	Part 45	-	-	5.53

Dr. Arakshita Majhi
प्रधान वैज्ञानिक/Principal Scientist
संरक्षण एवं सम्पोधन विभाग

1 of 2

06.07.20

Laboratory: Acharya Vinayaka Bhanu Prasad Bhubaneswar, Odisha-751013. Tel: 0674-2379236, Mobile: 9760387460.
E-Mail: dir@immt.res.in.

NABL Accredited Lab/ISO/IEC 17025:2005.

CSIR-INSTITUTE OF MINERALS & MATERIALS TECHNOLOGY.

(A Govt. of India Autonomous Body)

Environmental Chemical Laboratory

Bhubaneswar, Odisha

(An NABL Accredited Laboratory)



Certificate No. : T-8991

TEST REPORT

19.	Potassium,mg/l	Part 45	-	-	2.08
20	Dissolved Oxygen, mg/l	Part 38	-	-	5.43
21	Biological Oxygen Demand, mg/l	Part 44	-	-	BDL
22	Chemical Oxygen Demand, mg/l	Part 58	-	-	2.0
23	Free CO ₂ , mg/l	Part 61	-	-	10.0
24	Iron as Fe, mg/L	Part 53	0.3	No relaxation	0.426
25	Copper as Cu, mg/L	Part 42	0.05	1.5	0.009
26	Manganese as Mn, mg/L	Part 59	0.1	0.3	0.056
27	Zinc as Zn, mg/L	Part 49	5.0	15.0	0.212
28	Lead as Pb, mg/L	Part 47	0.01	No relaxation	0.048
29	Cadmium as Cd, mg/L	Part 41	0.003	No relaxation	0.009
30	Chromium as Cr, mg/L	Part 52	0.05	No relaxation	0.281
31	Nickel as Ni, mg/l	Part 54	0.02	No relaxation	0.127

NOTES :

1. The sample is drawn by the customer & result relates to the sample tested.
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of laboratory.
4. Latest version of test methods used as per latest specification.
5. Testing parameters which are not in NABL Scope has marked as "*" .
6. Testing parameters which are not set limitation has marked as "- " .

Authorized Signatory


16.07.20
Dr Arakshita Majhi
Senior Scientist
Phone : 0674-2379236
E mail - arakshita@immt.res.in

डॉ अरक्षिता माजी/Dr. Arakshita Majhi
प्रधान वैज्ञानिक/Principal Scientist
पर्यावरण एवं स्थायित्व विभाग
Environmental & Sustainability Dept.
सीएसआईआर - खनिज एवं पदार्थ प्रौद्योगिकी संस्थान
CSIR Institute of Minerals & Materials Technology
भुवनेश्वर/Bhubaneswar 751013

2of 2

Laboratory: Acharya Vihar, Bhubaneswar, Odisha-751013. Tel: 0674-2379236, Mobile: 9760387460.

E-Mail: dir@immt.res.in.

NABL Accredited Lab/ISO/IEC 17025:2005.