



राष्ट्रीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, भूवनेश्वर  
(परमाणु उर्जा विभाग, भारत सरकार का एक स्वयं शासित संस्थान)  
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, BHUBANESWAR  
(An autonomous Institution under Department of Atomic Energy, Govt. of India)

---

**Notice Inviting E-Tender No.-NC-000241-HO/DI-18-19**

**FURNITURE ITEMS**



**NATIONAL INSTITUTE OF SCIENCE EDUCATION & RESEARCH  
JATNI CAMPUS, P.O. – BHIMPUR-PADANPUR, VIA-JATNI  
KHURDA – 752050, ODISHA, INDIA**

**Notice Inviting E-Tender No.NC-000241-HO/DI-18-19**

E- Tenders are invited on behalf of the Director, National Institute of Science Education and Research, Jatni from the **BIFMA certified** manufacturers and their authorised reseller/Indian agent only for supply & installation of the following items:-

<i>Sl. No</i>	<i>Name of the Items</i>	<i>Tender No.</i>	<i>Name of Department</i>	<i>Qty. Nos.</i>	<i>EMD in INR</i>
01	Executive table with side table (Extension Return Unit - ERU) and mobile pedestal.	NC-000241-HO/DI-18-19	Hospital, NISER	07	NIL
02	Revolving High Back Chair			07	
03	Visitors chair with arm			24	
04	Bookcase			10	
05	Staff Table			10	
06	Revolving Mid Back Staff Chair			10	
07	Steel Almirah			10	
08	Conference Table -10 Seater			01	
09	Sofa (2 Seater)			02	
10	Centre Table			01	

**NB: PARTIES REGISTERED WITH SSI/DGS&D/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. There is no exemption for TENDER FEE (IF APPLICABLE).**

**• Tender Enquiry No: NC-000241-HO/DI-18-19**

- Last date of submission of E-bid** : 15/10/2018 up to 12:30 P.M
- Opening of both Technical & Financial Bids** : 15/10/2018 at 2:30 P.M

**Standard E-Tender Terms & Conditions**

- The details of tender notification can be downloaded from [www.tenderwizard.com/NISER](http://www.tenderwizard.com/NISER) under "Tender Free View" link.
- Vendors should obtain the USER ID and PASSWORD from [www.tenderwizard.com/NISER](http://www.tenderwizard.com/NISER) by clicking on "REGISTER ME" link in the homepage.
- The Vendor registration fee has to be paid to ITI Ltd for Rs. 1180/- including GST. Using the e-payment link provided at the time of registration, and the mode of payments are Credit Card, Debit Card and Internet Banking. Vendor Registration is Valid for 1 year.
- For further details on e-Tender participation, please contact ITI Help desk on
  - Telephone: 080-49352000/9686115318
  - Email: [harishkumar.kb@etenderwizard.com](mailto:harishkumar.kb@etenderwizard.com), [ambasa@etenderwizard.com](mailto:ambasa@etenderwizard.com).
- Tenders should be submitted only through e-Tender portal and obtain the Tender Acknowledgement copy as a proof of successful submission.
- Tender documents for viewing only are also available in NISER web-site address: [www.niser.ac.in](http://www.niser.ac.in).
- All corrigendum and addendum will be published on NISER website and tender wizard portal.

8. NISER is publishing all its public and limited tender on NISER website.
9. **For any query regarding tender terms & conditions please send email to spo@niser.ac.in.**

**The Institute can provide following documents.**

1. **Custom Duty exemption certificate. (for Custom duty @5.15%)**

**Stores & Purchase Officer**



**TERMS & CONDITIONS  
FOR SUPPLY AND INSTALLATION OF  
FURNITURE ITEMS  
FOR  
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI  
Notice Inviting E-Tender No.NC-000241-HO/DI-18-19**

1. Director, National Institute of Science Education & Research, Jatni (NISER) invites E- Tenders for **FURNITURE ITEMS** from the **BIFMA certified** Manufacturer and their authorised reseller/ Indian agent only having following credentials.
  - A. Should have satisfactorily completed **03 similar supply** (at least one of them in Central Government/Central Autonomous Body/Central PSU)
  - B. **Similar or Similar Nature of work means** Supply & Installation of **Furniture Items** for any of the following :
    - a) **Government/Autonomous Institutions**
    - b) **Government Research Centres**
    - c) **Universities**
    - d) **Autonomous/Reputed Private Research Centres**
    - e) **Purchase Orders / Completion certificates if any, for supporting above requirements.**

The Bidders are requested to give detailed tender in the prescribed forms in **Single Bid**.

2. **Contact for information:** (Only E-mail enquiries will be entertained)

**For Technical Information of Furniture Items:**

(Dr.Biswajit Mishra)  
Hospital, NISER.  
E-mail – Biswajit Mishra <drbiswajitmishra@niser.ac.in>

**For Information regarding Commercial & all other Terms & Conditions:**

**Mr. Deepak Srivastava**  
Stores & Purchase Officer  
National Institute of Science Education & Research, Jatni  
E-mail- [spo@niser.ac.in](mailto:spo@niser.ac.in)

**3. Supply means:**

“Supply, Installation, Commissioning and satisfactory demonstration of the whole equipments”.

**4. Tender Document:**

- a) Tender documents contain following:
    - i. Detail tender document in word document to read & download only.
    - ii. E-Tender in excel sheet for e-submission.
      - General rules
      - Technical Bid
      - Financial Bid
- All parts are mandatory to fill & submit.

- b) The purpose of certain specific conditions is to get or procure best product/service etc. for NISER. The opinion of Technical Committee shall be the guiding factor for technical short listing.
- c) The earnest money deposit (**if applicable**) as indicated against the item should be send by post so that it reaches on or before the opening of the technical bid for e-tender system in the form of Account Payee. Bank Draft payable on any branch of Nationalised/Schedule Bank at Bhubaneswar/ Jatni in favour of “Director, National Institute of Science Education & Research, Jatni”, in a separate sealed envelope. All tenders submitted without requisite amount of earnest money shall be rejected and their technical and financial bids shall not be opened. No interest is payable on EMD. The EMD will be returned to the bidders(s)/Agents whose offer is not accepted by NISER within one month from the date of the placing of the final order(s) on the selected bidder(s). In case of the bidder(s) whose offer is accepted the EMD will be returned on submission of Performance Bank Guarantee (if applicable). However, if the return of EMD is delayed for any reason, no interest /penalty shall be payable to the bidders.

**EMD EXEMPTION:**

**PARTIES REGISTERED WITH SSI/DGS&D/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. FOREIGN PARTIES QUOTING DIRECTLY UNDER ORIGINAL SEAL AND SIGNATURE (NOT SCANNED) WILL GET THE EXEMPTION. (IF APPLICABLE)**

**The EMD shall be forfeited:**

If the bidder withdraws the bid during the period of bid validity specified in the tender. In case a successful bidder fails to furnish the Performance Bank Guarantee (**if applicable**).

- a) Undertaking that the successful bidder agrees to give a Performance Bank Guaranty of 10% of the purchase order value in favour of “Director, National Institute of Science Education & Research, Jatni valid till warranty period (**NOT REQUIRED**).
- b) If the bid is for branded makes, authorization letter from principals clearly indicating that the vendor is the competent authority to sell and provide services towards the items mentioned in the scope of supply given in this tender document.
- c) Copy of GST No. and PAN No. allotted by the concerned authorities.
- d) List of deliverables / Bill of materials and services.
- e) Compliance sheet with any deviation with reference to the terms and specifications.
- f) The item should be supplied with manuals and the manuals including technical drawings should be complete in all respects to operate the system without any problem.

**“Commercial Bid” shall contain:**

- a) Price schedule complete in all respects. **Tender with any condition including conditional rebate shall be rejected forthwith.**
- b) Cost of all the items should be mentioned clearly and individually in the Commercial Offer only.
- c) **The Bidders are requested to quote for Educational/Institutional Price for Machine/ Equipment and, since we are eligible for the same.**
- d) **Printed conditions of the vendor submitted with the tender will not be binding on NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH.**

**5. Tender process & award of contract.**

The technical bids will be evaluated to shortlist the eligible bidders. Bidders whose technical offer is found acceptable and meeting the eligibility requirements as specified in this tender will only be consider for price comparison. Recommendation of technical committee will be posted on NISER website.

- a) **ONLY TECHNICALLY** accepted competitive bids will be considered for placing Purchase Order.
- b) **Purchaser’s Right to vary Quantities at the time of Award:** NISER reserves the right at the time of award of Contract to increase or decrease the quantity of items specified in the Schedule of Requirements without any change in price or other terms and conditions.
- 6. The Director NISER reserves the right to accept the offer in full or in parts or reject summarily or partly.**

## **7. Delivery Period / Timeliness**

The deliveries, installation must be completed within 60 days, after placement of purchase order. The time is the essence of the contract. It is mandatory for the bidders who respond to this bid to meet these expectations, as they are tightly linked to NISER's plans of completing the project within the time frame.

## **8. Locations for the Supply / Services**

The item covered by this document is required to be supplied & installation at Hospital of NISER, Jatni.

## **9. Order Placement and Release of Payment**

The Purchase Order and payment shall be processed by –

**Stores & Purchase Officer**

**National Institute of Science Education & Research,  
Jatni Campus, P.O. – Bhimpur-Padanpur, Via-Jatni,  
Khurda – 752050, Odisha, INDIA**

Payment for the items to be supplied by the vendor against the purchase order shall be made by National Institute of Science Education & Research as follows:-

### **INR payment:-**

100% payment to be released after receipt of material in good condition, installation and submission of warranty certificate.

### **Foreign Currency payment:-**

1. 100% payment to be released after receipt of material in good condition, installation and submission of warranty certificate.

**The tenderers who are not agreeing to above payment terms are requested not to submit their tender otherwise their EMD will be forfeited.**

- 10. NISER** will not provide any accommodation/transportation for the engineers/ representatives for attending installation, commissioning and demonstration work. It is the absolute responsibility of the Principal Supplier/Indian Agent to make their own arrangements.

- 11. The successful bidder**, on award of contract / order, must send the contract / order acceptance in writing, within 7 days of award of contract / order failing which the EMD will be forfeited.

## **12. Period of validity of bids**

- a) Bids shall be valid for a period of 180 days from the date of opening the Technical bid.
- b) NISER may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. The bidder is free not to accept such request without forfeiting the EMD. A bidder agreeing to the request for extension will not be permitted to modify his bid.
- c) Bid evaluation will be based on the bid prices without taking into consideration the above corrections.

## **13. Corrupt or Fraudulent Practices**

NISER requires that the bidders who wish to bid for this project have highest standards of ethics. NISER will reject a bid if it determines that the Bidder recommended for award has engaged in

corrupt or fraudulent practices while competing for this contract. NISER may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded a contract if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contract.

#### **14. Interpretation of the clauses in the Tender Document / Contract Document**

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, Director, NISER's interpretation of the clauses shall be final and binding on all parties.

#### **15. Price**

- a) The price quoted shall be considered firm and no price escalation will be permitted at any time. The quotation should be in Indian Rupees or any known foreign currency.
- b) **In case of INR bids:** The price criteria should be on delivered at NISER, Jatni including 01 year Free onsite comprehensive warranty, installation, commissioning, Training, demonstration, packing, transportation, insurance, loading & unloading (At NISER) etc. charges. Govt. Levies like GST, etc., if any, shall be paid at actual rates applicable on the date of delivery. Rates should be quoted accordingly giving the basic price, GST, etc., if any.
- c) Please provide GST no. allotted by the concerned authorities in your quotation.
- d) **In case of Foreign Currency bids:** - The price criteria will be FOB nearest International Airport/Sea Port including 01 year Free onsite comprehensive warranty, installation, commissioning & Training & demonstration charges. Agency Commission if any is required to be quoted separately in Financial bid which will be paid directly to Indian agent in INR.

#### **16. Pre-installation:**

Pre-installation facilities required for installation may please be intimated in the technical bid. Subsequently, before the consignment lands in NISER, Jatni the bidder shall confirm that the pre-installation requirements are sufficient for installation of the equipments. In other words the bidder should continuously monitor the pre-installation requirements and see that everything is ready before the consignment is taken to the site for installation.

#### **17. Installation, Warranty & Support**

- a) Bidder shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.
- b) The items covered by the schedule of requirement shall carry minimum **01 year onsite comprehensive warranty from the date of installation** of the equipments by NISER. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.
- c) ***The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty, GST, local taxes if any should be borne by the beneficiary or his agent. A clear confirmation should be given for this item.***
- d) The bidder shall assure the supply of spare parts after warranty is over for maintenance of the equipment supplied if and when required for a period of 05/10 years from the date of supply of equipment on payment on approved price list basis.
- e) The equipment must be supported by a Service Centre manned by the principal vendor's technical support engineers. The support through this Centre must be available 24 hours in a day, three days a week and 365 days a year. Also it should be possible to contract the Principal's vendor support Centre on a toll free number/web/mail.
- f) The vendor will have to arrange for all the testing equipment & tools required for installation, testing & maintenance etc.

## **18. Indemnity**

- a) The vendor shall indemnify, protect and save NISER against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by him.
- b) The successful will be fully responsible for payment of wages and other dues as prescribed and compliance of various Labour Laws.
- c) The successful tender should give an undertaking that the staff deployed at the centre in terms of this contract at all time will be employees of the agency exclusively and they shall not be entitled to any claim of employment or permanency of job with NISER.
- d) NISER reserves the right to forfeit whole or part of the security money towards any damage/lose caused due to the negligence on the part of the agency engaged.

## **19. Insurance**

The equipment's to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NISER site in case of Rupee/Foreign currency transaction.

## **20. Penalty for delayed Services / LD**

As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Otherwise the bidder will forfeit EMD/SD and also LD clause will be applicable /enforced.

If the supplier fails to Supply, Install and Commission the equipment as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 1% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.

NISER reserves the right to cancel the order in case the delay is more than 30 days Penalties, if any, will be deducted from the EMD.

## **21. Jurisdiction**

If a dispute arises out of or in connection with the contract, or in respect of any defined legal relationship associated therewith or derived there from, the parties agree to submit that dispute to arbitration under the ICADR Arbitration Rules, 1996.

The authority to appoint the arbitrator(S) shall be the International Centre for alternative dispute resolution.

The International Centre for Alternative Dispute Resolution will provide administrative services in accordance with the ICADR arbitration Rules, 1996.

**Stores & Purchase Officer  
NISER, Jatni**



## **DECLARATION BY THE VENDOR**

It is hereby declared that I/We the undersigned, have read and examined all the terms and conditions etc. of the tender document for which I/We have signed and submitted the tender under proper lawful Power of Attorney. It is also certified that all the terms and conditions of the tender document are fully acceptable to me/us and I/We will abide by the conditions from serial no. 1 to 21 and we have not given any printed conditions beyond the scope of this tender. This is also certified that I/We/our principal manufacturing firm have no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Date:

Signature:

Address:

Name:

Designation:

On behalf of:

(Company Seal)



SUPPLY AND INSTALLATION  
OF  
FURNITURE ITEMS  
FOR  
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI  
Notice Inviting E-Tender No. NC-000241-HO/DI-18-19

<b>General Information -Self Attested</b>			
<a href="http://www.tendewizard.com/NISER">www.tendewizard.com/NISER</a>			
<b>Vendor Name</b>			
Sl. No.	Basic Information	Please fill details	Page No. with name of the documents attached in support of information required
1	Name of the Company		
2	Full address of company along with Telephone no. Fax no. E-mail address :		
3	Local address of company for communication, if any		
4	Are you a manufacturer or dealer/reseller		
5	If dealer please attach certificate from your principal company clearly showing validity of the certificate		

6	Please attach self certify BIFMA certificate.		
7	Annual turn over in last 3 financial years in Rs. Crores. (i) Year 2015-2016 (ii) Year 2016-2017 (iii) Year 2017-2018 Please attach balance sheet		
8	Supply & Installation of "Furniture Items" to our tendered of last 3 financial years in State Government or Govt. of India Department(s) /Reputed Organisation(s) (in Nos. and Value) (Please attach list of clients) (i) Year 2015-2016 (ii) Year 2016-2017 (iii) Year 2017-2018 Please attach copy of Purchase Order/ Completion Certificate		
9	GST Registration no. with Place		
10	Income Tax Registration no. with place		
11	Photocopy of EMD (If Applicable)		
12	Name and address on whom purchase order will be placed		
13	Bank details of the supplier on which order will be placed		

14	<p>If you are claiming exemption certificate under SSI/DGS&amp;D/DAE, Please attach self attested copy of certificate which should be valid during the tender process</p>		
15	<p>Service centre details &amp; principal vendor support centre</p>		
16	<p>Delivery period :Please mention time of delivery &amp; Installation</p>		
17	<p>Declaration to be submitted by Vendor</p>		
18	<p>Warranty - 01 year Free onsite Comprehence warranty</p>		



TECHNICAL BID  
SUPPLY AND INSTALLATION  
OF  
FURNITURE ITEMS  
FOR  
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI  
Notice Inviting E-Tender No. NC-000241-HO/DI-18-19


<a href="http://www.tenderwizard.com/NISER">www.tenderwizard.com/NISER</a>			
<b>Vendor Name</b>		-	
<b>SL. No.</b>	<b>Item Specification</b>	<b>Accepted/Not Accepted/Deviation if any. Please specify your specification if deviation is there</b>	<b>Page No. of your specifications/Brochure/ Deviation, etc attached in support of your specification/deviation</b>

1

**Executive table with side table (Extension Return Unit - ERU) and mobile pedestal.**

1. Dimension of table, Top- 1500 Width mm x 750 Depth mm, Height- 740 mm.
2. Table top shall be 25 mm thick plain particle board (PPB) clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) .Flat edge Duly sealed with 2 mm thick PVC beading. Table top long sides should be post form half round profile with corner edge bending.
3. The under structure of the table made up of two side panels and modesty panel. The side panels and modesty shall be 18 mm thick plain particle board (PPB) clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading. 4 Nos of buffers should be provided at bottom as floor protector.
4. ERU size shall be 1050 Width x 450 Depth x 705 Height. The under structure should made up of side panel and modesty. The top of ERU shall be 25 mm thick plain particle board (PPB) clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate ( BDL). Table top long sides should be post form half round profile with corner edge bending. Flat Edge duly sealed with 2 mm thick PVC beading. The modesty and side panel shall be 18 mm thick plain particle board (PPB), clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading. 4 Nos of buffers should be provided at bottom as floor protector.
5. Mobile pedestal having dimension 450 mm Width x 500 mm Depth x 700 mm Height.
6. Mobile pedestal should be made of 0.6 mm CRCA grade D Steel as per IS 513 and coated with min. 45 micron thickness of epoxy powder coating.
7. Should have 3 drawers with telescopic channel, upper two having height 175 mm each and the lower one having height of 280 mm and having central locking facility having at least two no of keys.
8. Under surface should have 4Nos of castors.
9. Colour of top of main table and side unit – beech, side panel and modesty- black and pedestal-black.
10. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.
11. Authorised service provider should be

available in Odisha.



2

### **Revolving High Back Chair:**

1. Dimensions: Back: (W) 48.5 cm x (H) 62.0 Cm, Seat : (W) 51.0cm x (D) 52.5cm, Overall Dimensions of Chair: Seat Height -45.0cm, Height -min 117.0 to max 132.0 cm., Width & Depth of Chair as measured from pedestal - Width-76.0 cm and Depth-76.0cm
2. HIGH RESILIENCE (HR) POLYURETHANE FOAM The HR polyurethane foam shall be moulded with density of  $55 \pm 2$  kg/m<sup>3</sup> & hardness  $16 \pm 2$ kgf as per IS:7888 for 25% compression.
3. ARMRESTS (ADJUSTABLE) - The armrests shall have an Up-Down adjustment of  $85 \pm 5$ mm which is provided in armrest structure. Armrest Top shall have an integrated layer of Thermo-Plastic Elastomer (TPE).
4. LUMBAR SUPPORT ASSEMBLY Lumbar support shall consist of polypropylene pad with moulded polyurethane foam & covered with polyester fabric. Height of the lumbar pad shall be adjustable through two projecting knobs provided on the rear side of the pad. Lumbar pad shall have an adjustment of  $80 \pm 5$ mm in height.
5. FRONT PIVOT SYNCHRO MECHANISM (Knee Tilt Synchro) The Synchro mechanism pivot shall be located close to the knee ensuring that feet remains on ground while reclining back. The opening up of body shall be by 16 degrees. The adjustable tilting mechanism shall be designed with the following features: (i).360 degree revolving type. (ii). Single point control. (iii).Front-pivot for tilt with feet resting on ground ensuring more comfort. (iv).Tilt tension adjustment. (v). 4-position locking with anti-shock feature; shall prevent the backrest from impacting the user when the lock is released. (vi) Seat / back tilting ratio of 1:2. (110 seat tilt/ 220 back tilt)
6. NECK REST The Neck rest assembly shall consist of polypropylene pad with moulded polyurethane foam & covered with polyester fabric. Neck rest shall be fixed to the back Assembly through neck rest connector. Neck rest assembly shall have a height adjustment of  $42 \pm 5$  mm and rotation adjustment of overall  $76^\circ \pm 2^\circ$ . The complete neck rest assembly shall be retro fitted to the main chair.



7. PEDESTAL ASSEMBLY - The pedestal shall be made up from chrome plated steel base and fitted with 5 nos. twin wheel castors. The pedestal pitch - center dia is  $\Phi 661 \pm 5\text{mm}$ . ( $761 \pm 10\text{mm}$ . with castors).

8. TWIN WHEEL CASTORS The twin wheel castors are injection moulded in black Nylon; conforming to BIFMA X5.1 standard tested to perform 1, 00,000 cycles with 253lbs. (114kg) Load.

9. The cushioned seat assembly shall consists of insert moulded polyurethane foam upholstered with foam laminated mesh fabric. The insert moulded foam is assembled over a load bearing plastic seat 33 cover.

10. The back shall made up of two piece injection moulded frame. The inner frame shall be upholstered with mesh fabric and mounted on the main assembly. Size of back shall be (W)-48.5cm, (H)-62.0cm & size of seat shall be (W)-51.0cm x (D)-52.5cm.

11. Spine bracket shall made of Aluminium die cast piece connecting back with mechanism.

12. The sled base leg frame welded assembly shall made from MSERW round tube with base plate for seat fixing. Overall dimensions of Chair shall be, Width of Chair - 76.0cm, Depth of Chair - 76.0 cm as measured from pedestal below. Height from ground - min 117.0 to max 132.0 cm. Seat height - min45.0 to 54.0 cm. Dimensions tolerance / variations shall be within +/- 1 cm

13. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.


14. Authorised service provider should be available in Odisha.

3	<p><b>Visitor's chair with arm :</b></p> <ol style="list-style-type: none"> <li>1. The dimensions of back shall be 47.5 cm (W) x 58.0 cm (H) and of seat shall be 47.0 cm (W) x 48.0 cm (D).</li> <li>2. The seat and back should be made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with density = 45 +/- 2 kg/m<sup>3</sup> and Hardness = 20 +/- 2 kg with armrest.</li> <li>3. The seat and back covers should be injection moulded in black co-polymer polypropylene.</li> <li>4. The chair will have a fixed one-piece armrests with injection moulded from black Copolymer Polypropylene upholstered with PU Soft foam.</li> <li>5. The tubular frame should be cantilever type &amp; made of Dia.2.54cm x 1.4 mm thick M.S. E.R.W. tube and black powder coated.</li> <li>6. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.</li> <li>7. Authorised service provider should be available in Odisha.</li> </ol>		
4	<p><b>Bookcase:</b></p> <ol style="list-style-type: none"> <li>1. Overall dimension – Width 790mm x Depth 400mm x Height 2200mm.</li> <li>2. Surface Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</li> <li>3. The storage have 4 shelves making five compartment.</li> <li>4. Three compartment of top is having 8 mm thick toughen glass shutters and bottom 2 compartments have MDF shutters with handle.</li> <li>5. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.</li> </ol>		

5

**Staff Table:**

1. Dimensions: Width – 1365 mm, Depth – 680 mm, Height – 735mm
2. Top work surface is made from 18 mm thick pre- laminated boards with 2mm thick PVC edge beading on all side.
3. Under structure – C Frame made from 0.9 mm thick powder coated (50 micron) CRCA sheet.  
Tubular frame – Diameter of 254 mm x 1.2 mm thick ms erw tube.  
MODESTY PANEL- made from 1.0 thick powder coated 50 microns CRCA  
STORAGE- SHELL: 0.6MM THK CRCA as per IS-513  
DRAWER TRAY & BACK: 0.5mm thick CRCA as per –IS-513  
DRAWER FRONT: 0.6mm thick CRCA as per IS- 513  
LOCK: cam lock  
HANDLES: plastic handle.
4. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.



6

**Revolving Mid back staff Chair**

1. The seat and back shall be made up of 1.2 ±0.1cm thick hot-pressed plywood measured as per QA method described in OCP-QLTA-P14-18 and upholstered with fabric upholstery covers and moulded Polyurethane foam.
2. The back foam shall be designed with contoured lumbar support for extra comfort. The seat shall be extra thick foam on front edge to give comfort to popliteal area.
3. The dimensions of back shall be 47.5 cm (W) x 69.5 cm (H) and of seat shall be 47.0 cm (W) x 48.0 cm (D).
4. The HR polyurethane foam shall be moulded with density= 45±2 kg/m<sup>3</sup> and hardness load 16 ± 2 kgf as per IS: 7888 for 25% compression.
5. The one-piece armrests shall be injection moulded from black Copolymer Polypropylene.
6. The mechanism shall be designed with 360° revolving type, Upright-position locking, Tilt tension adjustment, Seat/back tilting ratio of 1:3.
7. The pneumatic height adjustment shall has an adjustment stroke of 12.0 ±0.3cm.
8. The bellow shall be 3 piece telescopic type and injection moulded in black Polypropylene.
9. The pedestal shall be injection moulded in black 33% glass-filled Nylon-66 and fitted with 5 nos. twin wheel castors. The pedestal shall be 66.3±0.5cm. Pitch-center dia. (76.3 ±1.0cm with castors). The twin wheel castors shall be injection moulded in Black Nylon.
10. Overall Dimensions of Chair shall be Seat Height - min 42.5 to max 54.5cm, Height - min97.0 to max 109.0cm,
11. Width & Depth of Chair as measured from pedestal  
- Width-76.3 cm and Depth-76.3 cm.
12. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.

**Steel Almirah:**

1. Product Size: Plain (4S) - 916 mm (W) x 486 mm (D) x 1980 mm (H)
2. Construction - Welded Construction
3. Material - 0.7 mm thick ( ± 0.07 mm) CRCA for shelf, 0.8 mm thick ( ± 0.08 mm) high yield strength CRCA for doors and back, 0.9 mm thick ( ± 0.08 mm) CRCA for all other components, CRCA 'D' grade high yield strength as per IS:513.
4. Configuration (Door): Full height Steel Hinged Door.
5. Locking & handle: Mazak Handle, three way locking mechanism with shooting bolt arrangement.
6. Shelving: Height wise Adjustable Shelf Mounting. Uniformly Distributed Load Capacity per each full shelf is at least 80 Kg. 4 Nos. of Adjustable Shelf mounting.
7. Leveller: M10 Screw type leveller with hex plastic base.
8. Finish: Epoxy powder coated to the thickness of 40-60 microns after 10 dip tank pre-treatment, including anti rust treatment. All Dents, Burns and Sharp edges shall be removed from the various components. The components shall be individually pickled, scrubbed and rinsed to remove grease, rust scale or any other foreign element. The finish should be smooth and uniform. The finish shall be free from all visible defects. All the edges should be rounded. All Almirah should be supply in Prince Grey Colour.
9. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.

8

### **Conference Table (10 seater)**

- Table's Top - Designed with 36mm on 18mm Pre Laminated Particle Board (OSL) post forming top.
- Under Structure - 36mm pre laminated particle board (OSL) legs support, holes for wire manger should be provided, table top put on hinges supporting on legs.

#### **DIMENSIONAL SPECIFICATION -**

- Max. Height -  $750 \pm 10$
- Max. length -  $3600 \pm 10$
- Max. Depth -  $1200 \pm 10$

#### **Table's Top Type -**

- Length -  $3600 \pm 10$
- Depth -  $1200 \pm 10$
- Thickness - 18mm

#### **Under Structure Measurement -**

- Legs (Height ) - 700mm
- Thickness - 75mm\*25mm steel pipe with 18mm board.

#### **Modesty -**

- Height - 450mm
- Thickness - 18 mm

Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.

**Sofa (02 Seater)**

1. Plywood Used under base sheet - 12 mm
2. Upholstery - Rexine, Black Colour
3. Frame (SS) type - Base Frame - Sq. Pipe (SS) (20mmx20mmx1.2mm Thick). , Support Frame - Round Pipe (SS) (12 mm Dia X 1.2 mm Thick), Side Frame - Round Pipe (SS) (25 mm Dia X 1.6mm Thick).
4. Back support made up of Pine Wood - (Width 25mm X Thickness 25 mm).
5. Base Seat Foam - Foam, (90 mm + 21 mm) thick, D -28 kg/m<sup>3</sup>.
6. Back Seat Foam - Foam, 45 mm thick, D -28 kg/m<sup>3</sup>.
7. Arm Rest Foam - Foam, 45 mm thick, D -28 kg/m<sup>3</sup>.
8. Back Insert Foam - Foam, 21 mm thick, D - 28 kg/m<sup>3</sup>.
9. SS pipe -end cover - PVC Cap.
10. L-Bracket Base Frame corners – MS type.
11. Fasteners (Nut x Bolt) 4 Nos. - M8 X 38 mm.
12. Dimensional Specification –
  - a. Frame Height - 635 mm
  - b. Frame Width - 1397 mm
  - c. Frame Depth - 788 mm
  - d. Seat Height from Bottom to base seat - 458 mm
  - e. Back Height from Base seat to Top - 356 mm
  - f. Seat Width (BJ -1S) - 1016 mm
  - g. Seating Depth - 585 mm
  - h. Hand Rest Width - 150 mm
12. Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.

10	<p><b>Centre table:</b></p> <ul style="list-style-type: none"> <li>• Support under Structure - Designed with solid wood rectangular shape with Wall nut polish finished.</li> <li>• Top Type - Designed with 19 mm commercial board affixed with 3 mm veneer at top.</li> </ul> <p>Dimensional specification –</p> <ul style="list-style-type: none"> <li>• Max. Height - 450 ±10 mm</li> <li>• Max. Width - 1215 ±10 mm</li> <li>• Max. Depth - 605 ±10 mm</li> <li>• Leg size - 57x57 ±3 mm</li> <li>• Top thickness - 21 ±1 mm</li> <li>• Side wooden edge bending – 5 mm</li> </ul> <p>Product should have BIFMA, ISO 9001, 14001 and 18001 Organization certification.</p>		
11	<p><b>Warranty</b> - 01 year Free onsite Comprehensive warranty</p>		





FINANCIAL BID

SUPPLY AND INSTALLATION  
OF  
FURNITURE ITEMS  
FOR

NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI  
Notice Inviting E-Tender No. NC-000241-HO/DI-18-19

<a href="http://www.tenderwizard.com/NISER">www.tenderwizard.com/NISER</a>							
Vendor Name							
SL. No.	Item Specification	Qty	Type of Currency	Unit Price in Foreign currency as per terms & condition no.15(d) of Tender document.	Total Price in Foreign Currency as per terms & condition no.15(d) of Tender document.	Unit Price in INR as per terms & condition no.15(b) of Tender document.	Total Price in INR as per terms & condition no.15(b) of Tender document.
1	<b>Executive table with side table (Extension Return Unit - ERU) and mobile pedestal.</b> (As per technical Specification)	07 Nos					
2	<b>Revolving High Back Chair</b> (As per technical Specification)	07 Nos					
3	<b>Visitor's chair with arm</b> (As per technical Specification)	24 Nos					

4	<b>Bookcase</b> (As per technical Specification)	10 Nos					
5	<b>Staff Table</b> (As per technical Specification)	10 Nos					
6	<b>Revolving Mid back staff Chair:</b> (As per technical Specification)	10 Nos					
7	<b>Steel Almirah</b> (As per technical Specification)	10 Nos					
8	<b>Conference Table (10 Seater)</b> (As per technical Specification)	01 Nos					
9	<b>Sofa (2 Seater)</b> (As per technical Specification)	02 Nos					
10	<b>Centre Table</b> (As per technical Specification)	01 Nos					
	<b>Sub-Total</b>				<b>0.00</b>		<b>0.00</b>
	<b>Agency Commission</b>						
	<b>GST Charge If Any</b>						
	<b>Grand Total</b>				<b>0.00</b>		<b>0.00</b>