



राष्ट्रीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, भूवनेश्वर
(परमाणु उर्जा विभाग, भारत सरकार का एक स्वयं शासित संस्थान)
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, BHUBANESWAR
(An autonomous Institution under Department of Atomic Energy, Govt. of India)

Notice Inviting E-Tender No. NC-000741-EM-16-17

Furniture items



**NATIONAL INSTITUTE OF SCIENCE EDUCATION & RESEARCH
JATNI CAMPUS, P.O. – BHIMPUR-PADANPUR, VIA-JATNI
KHURDA – 752050, ODISHA, INDIA**

Notice Inviting E-Tender No. NC-000741-EM-16-17(Single bid)

E- Tenders are invited on behalf of the Director, National Institute of Science Education and Research, Jatni from the manufacturers(Indian or Foreign) and their authorised reseller/Indian agent only for supply & installation of the following items:-

| Sl. No. | Name of the Items | Tender No. | Name of Department | Qty. | EMD in INR |
|----------------|---------------------------------------------------------------------------------|--------------------|---------------------------|-------------|-------------------|
| 01 | Exicutive Table Godrej(Trident Middle table + ERU)/ Equivalent | NC-000741-EM-16-17 | Estate Management | 02 nos | 25800/- |
| 02 | Staff Table - (Godrej Make [Mayfair table + ERU+Pedestal+Credenza])/ Equivalent | | | 10 nos | |
| 03 | Chair for Execueive Table-GODREJ MAKE CHAIR PCH-7001D/ Equivalent | | | 02 nos | |
| 04 | Chair for Executive Visitor-(GODREJ CHAIR PCH-7003D)/ Equivalent | | | 06 nos | |
| 05 | Chair For Staff- Godrej Chair PCH-7101R)/ Equivalent | | | 10 nos | |
| 06 | Chair for Staff Visitor-Godrej Chair PCH-7112R/ Equivalent | | | 20 nos | |
| 07 | Display Rack For Executive Room-(Godrej Impress back unit/ Equivalent) | | | 02 nos | |
| 08 | Almirah Plain full size - Godrej Storewel/ Equivalent | | | 12 nos | |
| 09 | OPEN RACK- Godrej Easy Rack/ Equivalent | | | 04 nos | |
| 10 | Personal Locker- Godrej PLU-8 Door/ Equivalent | | | 06 nos | |

NB: PARTIES REGISTERED WITH SSI/DGS&D/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. There is no exemption for TENDER FEE (IF APPLICABLE).

• **Tender Enquiry No: NC-000741-EM-16-17**

• **Last date of submission of E-bid** : 15/04/2019 up to 10.00 A.M.

• **Opening of both Technical & Financial Bids** : 15/04/2019 at 11.00 A.M.

Standard E-Tender Terms & Conditions

1. The details of tender notification can be downloaded from www.tenderwizard.com/NISER under "Tender Free View" link.
2. Vendors should obtain the USER ID and PASSWORD from www.tenderwizard.com/NISER by clicking on "REGISTER ME" link in the homepage.

3. The Vendor registration fee has to be paid to ITI Ltd for Rs. 1180/- including GST. Using the e-payment link provided at the time of registration, and the mode of payments are Credit Card, Debit Card and Internet Banking. Vendor Registration is Valid for 1year.
4. For further details on e-Tender participation, please contact ITI Help desk on
 - Telephone: 080-49352000/9686115318
 - Email: harishkumar.kb@etenderwizard.com, ambasa@etenderwizard.com.
5. Tenders should be submitted only through e-Tender portal and obtain the Tender Acknowledgement copy as a proof of successful submission.
6. Tender documents for viewing only are also available in NISER web-site address: www.niser.ac.in.
7. All corrigendum and addendum will be published on NISER website and tenderwizard portal.
8. NISER is publishing all its public and limited tender on NISER website.
9. **For any query regarding tender terms & conditions please send email to spo@niser.ac.in.**

The Institute can provide following documents.

1. **Custom Duty exemption certificate. (for custom duty @5.15%)**
2. **GST exemption certificate. (for GST @ 5%)**

FIC (Stores & Purchase)



**TERMS & CONDITIONS
FOR SUPPLY AND INSTALLATION OF
FURNITURE ITEMS
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-000741-EM-16-17**

1. Director, National Institute of Science Education & Research, Jatni (NISER) invites E- Tenders for **Furniture items** from the Manufacturer and their authorised reseller only having following credentials.
 - A. Should have satisfactorily completed **03 similar supply** (at least one of them in Central Government/Central Autonomous Body/Central PSU)
 - B. **Similar or Similar Nature of work means** Supply & Installation **Furniture items** for any of the following :
 - a) **Government/Autonomous Institutions**
 - b) **Government Research Centres**
 - c) **Universities**
 - d) **Autonomous/Reputed Private Research Centres**
 - e) **Purchase Orders / Completion certificates if any, for supporting above requirements.**

The Bidders are requested to give detailed tender in the prescribed forms in **Single Bid**.

2. **Contact for information:** (Only E-mail enquiries will be entertained)

For Technical Information of Furniture items :

Mr. Amit Kumar Panigrahi

Estate Management, NISER.

E-mail – AMIT KUMAR PANIGRAHI <amit.panigrahi@niser.ac.in>

For Information regarding Commercial & all other Terms & Conditions:

Dr. C. S. Purohit

FIC (Stores & Purchase)

National Institute of Science Education & Research, Jatni

E-mail- FIC Purchase NISER <fic_purchase@niser.ac.in>

3. Supply means:

“Supply, Installation, Commissioning and satisfactory demonstration of the whole equipments”.

4. Tender Document:

- a) Tender documents contain following:
 - i. Detail tender document in word document to read & download only.
 - ii. E-Tender in excel sheet for e-submission.
 - General rules
 - Technical Bid
 - Financial Bid
- All parts are mandatory to fill & submit.

- b) The purpose of certain specific conditions is to get or procure best product/service etc. for NISER. The opinion of Technical Committee shall be the guiding factor for technical short listing.
- c) The earnest money deposit (**if applicable**) as indicated against the item should be send by post so that it reaches on or before the opening of the technical bid for e-tender system in the form of Account Payee. Bank Draft payable on any branch of Nationalised/Schedule Bank at Bhubaneswar/ Jatni in favour of “Director, National Institute of Science Education & Research, Jatni”, in a separate sealed envelope. All tenders submitted without requisite amount of earnest money shall be rejected and their technical and financial bids shall not be opened. No interest is payable on EMD. The EMD will be returned to the bidders(s)/Agents whose offer is not accepted by NISER within one month from the date of the placing of the final order(s) on the selected bidder(s). In case of the bidder(s) whose offer is accepted the EMD will be returned on submission of Performance Bank Guarantee (if applicable). However, if the return of EMD is delayed for any reason, no interest /penalty shall be payable to the bidders.

EMD EXEMPTION:

PARTIES REGISTERED WITH SSI/DGS&D/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. FOREIGN PARTIES QUOTING DIRECTLY UNDER ORIGINAL SEAL AND SIGNATURE (NOT SCANNED) WILL GET THE EXEMPTION. (IF APPLICABLE)

The EMD shall be forfeited:

If the bidder withdraws the bid during the period of bid validity specified in the tender. In case a successful bidder fails to furnish the Performance Bank Guarantee (**if applicable**).

- a) Undertaking that the successful bidder agrees to give a Performance Bank Guaranty of 10% of the purchase order value in favour of “Director, National Institute of Science Education & Research, Jatni valid till warranty period (**NOT REQUIRED/If Applicable**).
- b) If the bid is for branded makes, authorization letter from principals clearly indicating that the vendor is the competent authority to sell and provide services towards the items mentioned in the scope of supply given in this tender document.
- c) Copy of GST No. and PAN No. allotted by the concerned authorities.
- d) List of deliverables / Bill of materials and services.
- e) Compliance sheet with any deviation with reference to the terms and specifications.
- f) The item should be supplied with manuals and the manuals including technical drawings should be complete in all respects to operate the system without any problem.

“Commercial Bid” shall contain:

- a) Price schedule complete in all respects. **Tender with any condition including conditional rebate shall be rejected forthwith.**
- b) Cost of all the items should be mentioned clearly and individually in the Commercial Offer only.
- c) **The Bidders are requested to quote for Educational/Institutional Price for Machine/ Equipment and, since we are eligible for the same.**
- d) **Printed conditions of the vendor submitted with the tender will not be binding on NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH.**

5. Tender process & award of contract.

The technical bids will be evaluated to shortlist the eligible bidders. Bidders whose technical offer is found acceptable and meeting the eligibility requirements as specified in this tender will only be consider for price comparison. Recommendation of technical committee will be posted on NISER website.

- a) **ONLY TECHNICALLY** accepted competitive bids will be considered for placing Purchase Order.
- b) **Purchaser’s Right to vary Quantities at the time of Award:** NISER reserves the right at the time of award of Contract to increase or decrease the quantity of items specified in the Schedule of Requirements without any change in price or other terms and conditions.
- 6. The Director NISER reserves the right to accept the offer in full or in parts or reject summarily or partly.**

7. Delivery Period / Timeliness

The deliveries, installation must be completed within 60 days, after placement of purchase order. The time is the essence of the contract. It is mandatory for the bidders who respond to this bid to meet these expectations, as they are tightly linked to NISER's plans of completing the project within the time frame.

8. Locations for the Supply / Services

The item covered by this document is required to be supplied at Estate Management of NISER, Jatni.

9. Order Placement and Release of Payment

The Purchase Order and payment shall be processed by –

FIC (Stores & Purchase)

**National Institute of Science Education & Research,
Jatni Campus, P.O. – Bhimpur-Padanpur, Via-Jatni,
Khurda – 752050, Odisha, INDIA**

Payment for the items to be supplied by the vendor against the purchase order shall be made by National Institute of Science Education & Research as follows:-

INR payment:- (Please choose using your judgment depending upon the requirement)

100% payment to be released after receipt of material, installation and submission of warranty certificate. (depending upon the requirement NISER can also release 80% on shipment & 20% after installation)

Foreign Currency payment:- (Please choose 1 depending upon the requirement)

1. 100% payment will be made through Letter of Credit. 80% will be paid after submission original shipping documents & balance 20% will be released after satisfactory installation, commissioning, warranty certificate and along with submission of Performance Bank Guarantee.
2. 100% payment to be released after receipt of material, installation and submission of warranty certificate.
3. 80% will be paid after submission original shipping documents & balance 20% will be released after satisfactory installation, commissioning, warranty certificate and along with submission of Performance Bank Guarantee. **(Without LC)**

The tenderers who are not agreeing to above payment terms are requested not to submit their tender otherwise their EMD will be forfeited.

10. NISER will not provide any accommodation/transportation for the engineers/ representatives for attending installation, commissioning and demonstration work. It is the absolute responsibility of the Principal Supplier/Indian Agent to make their own arrangements.

11. The successful bidder, on award of contract / order, must send the contract / order acceptance in writing, within 7 days of award of contract / order failing which the EMD will be forfeited.

12. Period of validity of bids

- a) Bids shall be valid for a period of 90 days from the date of opening the Technical bid.
- b) NISER may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. The bidder is free not to accept such request without

forfeiting the EMD. A bidder agreeing to the request for extension will not be permitted to modify his bid.

- c) Bid evaluation will be based on the bid prices without taking into consideration the above corrections.

13. Corrupt or Fraudulent Practices

NISER requires that the bidders who wish to bid for this project have highest standards of ethics. NISER will reject a bid if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices while competing for this contract. NISER may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded a contract if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contract.

14. Interpretation of the clauses in the Tender Document / Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, Director, NISER's interpretation of the clauses shall be final and binding on all parties.

15. Price

- a) The price quoted shall be considered firm and no price escalation will be permitted at any time. The quotation should be in Indian Rupees or any known foreign currency.
- b) **In case of INR bids:** The price criteria should be on delivered at NISER, Jatni including Free onsite comprehensive warranty, installation, commissioning, Training, demonstration, packing, transportation, insurance, loading & unloading (At NISER) etc. charges. Govt. Levies like GST, etc., if any, shall be paid at actual rates applicable on the date of delivery. Rates should be quoted accordingly giving the basic price, GST, etc., if any.
- c) Please provide GST no. allotted by the concerned authorities in your quotation.
- d) **In case of Foreign Currency bids:** - The price criteria will be FOB nearest International Airport/Sea Port including Free onsite comprehensive warranty, installation, commissioning & Training & demonstration charges. Agency Commission if any is required to be quoted separately in financial bid which will be paid directly to Indian agent in INR.

16. Pre-installation:

Pre-installation facilities required for installation may please be intimated in the technical bid. Subsequently, before the consignment lands in NISER, Jatni the bidder shall confirm that the pre-installation requirements are sufficient for installation of the equipments. In other words the bidder should continuously monitor the pre-installation requirements and see that everything is ready before the consignment is taken to the site for installation.

17. Installation, Warranty & Support (Not Required/If Applicable)

- a) Bidder shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.
- b) The items covered by the schedule of requirement shall carry minimum ***No comprehensive warranty from the date of installation*** of the equipments by NISER. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.
- c) ***The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty, GST, local taxes if any should be borne by the beneficiary or his agent. A clear confirmation should be given for this item.***
- d) The bidder shall assure the supply of spare parts after warranty is over for maintenance of the equipment supplied if and when required for a period of 05/10 years from the date of supply of equipment on payment on approved price list basis.

- e) The equipment must be supported by a Service Centre manned by the principal vendor's technical support engineers. The support through this Centre must be available 24 hours in a day, three days a week and 365 days a year. Also it should be possible to contract the Principal's vendor support Centre on a toll free number/web/mail.
- f) The vendor will have to arrange for all the testing equipment & tools required for installation, testing & maintenance etc.

18. Indemnity

- a) The vendor shall indemnify, protect and save NISER against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by him.
- b) The successful will be fully responsible for payment of wages and other dues as prescribed and compliance of various Labour Laws.
- c) The successful tender should give an undertaking that the staff deployed at the centre in terms of this contract at all time will be employees of the agency exclusively and they shall not be entitled to any claim of employment or permanency of job with NISER.
- d) NISER reserves the right to forfeit whole or part of the security money towards any damage/lose caused due to the negligence on the part of the agency engaged.

19. Insurance

The equipment's to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NISER site in case of Rupee/Foreign currency transaction.

20. Penalty for delayed Services / LD

As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Otherwise the bidder will forfeit EMD/SD and also LD clause will be applicable /enforced.

If the supplier fails to Supply, Install and Commission the equipment as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 1% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.

NISER reserves the right to cancel the order in case the delay is more than 30 days Penalties, if any, will be deducted from the EMD.

21. Jurisdiction

If a dispute arises out of or in connection with the contract, or in respect of any defined legal relationship associated therewith or derived there from, the parties agree to submit that dispute to arbitration under the ICADR Arbitration Rules, 1996.

The authority to appoint the arbitrator(S) shall be the International Centre for alternative dispute resolution.

The International Centre for Alternative Dispute Resolution will provide administrative services in accordance with the ICADR arbitration Rules, 1996.

DECLARATION BY THE VENDOR

It is hereby declared that I/We the undersigned, have read and examined all the terms and conditions etc. of the tender document for which I/We have signed and submitted the tender under proper lawful Power of Attorney. It is also certified that all the terms and conditions of the tender document are fully acceptable to me/us and I/We will abide by the conditions from serial no. 1 to 21 and we have not given any printed conditions beyond the scope of this tender. This is also certified that I/We/our principal manufacturing firm have no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Date:

Signature:

Address:

Name:

Designation:

On behalf of:

(Company Seal)

**SUPPLY AND INSTALLATION
OF
Furniture items
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-000741-EM-16-17**

General Information –Self Attested

www.tendewizard.com/NISER

| Vendor Name | | | |
|--------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------------------|
| Sl. No. | Basic Information | Please fill details | Page No. with name of the documents attached in support of information required |
| 1 | Name of the Company | | |
| 2 | Full address of company along with Telephone no. Fax no. E-mail address : | | |
| 3 | Local address of company for communication, if any | | |
| 4 | Are you a manufacturer or dealer/reseller | | |
| 5 | If dealer please attach certificate from your principal company clearly showing validity of the certificate | | |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 6 | If foreign supplier : Please give details of your Indian authorised partner if any | | |
| 7 | Annual turn over in last 3 financial years in Rs. Crores. (i) Year 2015-2016 (ii) Year 2016-2017 (iii) Year 2017-2018 Please attach balance sheet | | |
| 8 | Supply & Installation of "Furniture items " to our tendered of last 3 financial years in State Government or Govt. of India Department(s) /Reputed Organisation(s) (in Nos. and Value) (Please attach list of clients) (i) Year 2015-2016 (ii) Year 2016-2017 (iii) Year 2017-2018 Please attach copy of Purchase Order/ Completion Certificate | | |
| 9 | GST Registration no. with Place | | |
| 10 | Income Tax Registration no. with place | | |
| 11 | Photocopy of EMD (If Applicable) | | |
| 12 | Name and address on whom purchase order will be placed | | |
| 13 | Bank details of the supplier on which order will be placed | | |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 14 | If you are claiming exemption certificate under SSI/DGS&D/DAE, Please attach self attested copy of certificate which should be valid during the tender process | | |
| 15 | Service centre details & principal vendor support centre | | |
| 16 | Delivery period :Please mention time of delivery & Installation | | |
| 17 | Declaration to be submitted by Vendor | | |
| 18 | Warranty: As per OEM Warranty | | |

**TECHNICAL BID
SUPPLY AND INSTALLATION
OF
Furniture items
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-000741-EM-16-17**

www.tenderwizard.com/NISER

| Vendor Name | | - | |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| SL · N o. | Item Specification | Accepted/Not Accepted/Devia tion if any. Please specify your specification if deviation is there | Page No. of your specifications/Broc hure/ Deviation, etc attached in supoort of your specification/deviat ion |
| 1 | <p>Exicutive Table Godrej(Trident Middle table + ERU)/ Equivalent</p> <p>The understructure is in prelam panels, made with PLT boards. 2Drawe and 3Drawer storage units with different combinations to support Tops, made with 18mmPLT boards of different colours.Modesty and back panels, made with 18mm PLT boards. The Pedestals/Storages are fitted with necessary Locks.B) PLT Board Tops (Straight Edges):Tops for Middle desk with ERU are of 18mm thickness.Made of 18mm thick PLT board with 2mm Edge banding.Wenge and Savannah Maple PLT board used for making Tops.C) PVC membrane Tops (with profiles): Tops for senior main and back unit desk are of PVC membrane pressed.Made of 25mm thick MDF-one side laminate board with 0.4mm PVC membrane pressed on to tops. The top</p> | | |

| | | | |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | <p>has Duck nose and half round profiles edges. The top is made in only one finish: European Ash.) Trident Middle Desk Dimension (in mm) Overall Footprint 1650 x 700, Top thickness 18, Top Dimensions 1350 x 700 , Overall Height 743 .Trident Middle ERU Dimension (in mm) Top thickness 18, Top Dimensions 1000 x 450 , Overall height 743</p> | | |
| 2 | <p>Staff Table - (Godrej Make [Mayfair table + ERU+Pedestal+Credenza])/ Equivalent Comprises of (a) Main Desk , (b) ERU, (c) Mobilepedestal(d) credenza.â€ Main Desk is (1) 1350w X 750d X 750h The table top is in white cedar, side panels are in black, while the modesty panel is a combination of black & white cedar. The ERU is an independent standing unit. It is common for LHS & RHS. ERU is 1200mm W x 450mm D x 750mm H.The ERU top is in white cedar, side panels are in black, while the modesty panel is a combination of black & white cedar</p> | | |

**Chair for Executive Table-GODREJ
MAKE CHAIR PCH-7001D/ Equivalent**

1. SEAT/ BACK ASSEMBLY: The seat/ back are made up of 102+/- 0.1cm. thick hot pressed plywood measured as per QA method described in OCP- QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumber support for extra comfort.

2. HIGH RESILIENCE (HR)

POLYURETHANE FOAM: The HR Polyurethane foam is moulded with density = 45+/-2 kg/m³ and Hardness load 16+/- 2 kgf as per IS:7888 for 25% compression.

3. SEAT/ BACK COVERS:

For PCH-7001D the seat cover is injection moulded in black co-polymer polypropylene and back is vacuum formed from ABS sheets.

4. ARMRESTS:

The one piece armrests made of black integral skin polyurethane with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. The armrests are fitted to the seat/ armrest connecting strip assembly made of 0.5+/-0.05cm. thk. HR steel.

5. (A)CENTRE TILT MECHANISM :

The mechanism is designed with the following features. 3600 revolving type, 170 +/-20 maximum tilt on pivot at centre, upright position locking, tilt tension adjustment.

6. PNEUMATIC HEIGHT ADJUSTMENT:

The pneumatic height adjustment has an adjustment stroke of 12.0+/-0.3cm.

7. TELESCOPIC BELLOW ASSEMBLY:

The bellow is 3 piece telescopic type and injection moulded in black polypropylene.

8. PEDESTAL ASSEMBLY:

The pedestal is injection moulded in black 33% glass filled Nylon-66 and fitted with 5nos. Twin wheel castors. The pedestal is 66.3+/-0.5cm

3

| | | | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | <p>(76.3+/-1.0cm with castors.)9. TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon.</p> | | |
| 4 | <p>Chair for Executive Visitor-(GODREJ CHAIR PCH-7003D)/ Equivalent 1. SEAT/ BACK ASSEMBLY: The seat/ back are made up of 102+/- 0.1cm. thick hot pressed plywood measured as per QA method described in OCP- QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumber support for extra comfort.2. HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR Polyurethane foam is moulded with density = 45+/-2 kg/m3 and Hardness load 16+/- 2 kgf as per IS:7888 for 25% compression.3. SEAT/ BACK COVERS: For PCH-7003D the seat and back covers is injection moulded in black co-polymer polypropylene.4. ARMRESTS:</p> | | |

| | | | |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | <p>The one piece armrests made of black integral skin polyurethane with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. The armrests are fitted to the seat/ armrest connecting strip assembly made of 0.5+/-0.05cm. thk. HR steel.</p> <p>5. TUBULAR FRAME : The tubular frame is cantilever type & made of 2.54 +/-0.03cm. x 0.2 +/-0.016 cm. Thk M.S. E.R.W. tube powder coated (DFT 40-60 microns).DIMENSIONS: Width 59.0cm, Depth 63.0cm. Height.81.5cm., Seat Height. 45.0cm.</p> | | |
| 5 | <p>Chair For Staff- Godrej Chair PCH-7101R)/ Equivalent</p> <p>1. SEAT/ BACK ASSEMBLY: The seat/ back are made up of 1.2+/- 0.1cm. thick hot pressed plywood measured as per QA method described in OCP- QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumber support for extra comfort.</p> <p>2. HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR Polyurethane foam is moulded with density = 45+/-2 kg/m³ and Hardness load 16+/- 2 kgf as per IS:7888 for 25% compression.</p> <p>3. ARMRESTS: The armrest top are injection moulded from black Polypropylene. They are fitted to tubular armrest supports made of 2.54+/-0.03cm x 0.16 +/-0.1128cm. thk . M. S. E. R. W. Tube and black powder coated (DFT 40-60 microns). The tubular armrest supports hold together the seat and back.</p> <p>4. (A)CENTRE TILT MECHANISM : The mechanism is designed with the following features.3600 revolving type, 170 +/-20 maximum tilt on pivot at centre, upright position locking, tilt tension adjustment.(B) TUBULAR FRAME : The tubular frame is</p> | | |

| | | | |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | <p>cantilever type & made of 2.54 +/-0.03cm x0.2+/-0.016cm. thk M.S. E.R.W tube and black powder coated (DFT 40-60 microns). PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment has an adjustment stroke of 11.0+/-0.3cm. TELESCOPIC BELLOW ASSEMBLY: The bellow is 3 piece telescopic type and injection moulded in black polypropylene. PEDESTAL ASSEMBLY: The pedestal is fabricated from 0.2 +/-0.02c.m thick HR-sheet (IS:DD1079/HR), powder coated (DFT 40-60microns) and fitted with an injection moulded in black Polypropylene hub cap and 5 nos. Twin wheel castors. The pedestal is 60.0+/-0.5cm (70.0+/-1.0cm with castors.) TWIN WHEEL CASTORS : The twin wheel castors are injection moulded in Black Nylon. DIMENSIONS: Width 70.0cm, Depth 70.0cm. Height. 102.4-113.4c, Seat Height. 42.4-53.4cm.</p> | | |
| 6 | <p>Chair for Staff Visitor-Godrej Chair PCH-7112R/ Equivalent 1. SEAT/ BACK ASSEMBLY: The seat/ back are made up of 1.2+/- 0.1cm. thick hot pressed plywood measured as per QA method described in OCP- QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumber support for extra comfort. 2. HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR Polyurethane foam is moulded with density = 45+/-2 kg/m³ and Hardness load 16+/- 2 kgf as per IS:7888 for 25% compression. 3. ARMRESTS: The armrest top are injection moulded from black Polypropylene. They are fitted to tubular armrest supports made of 2.54+/-</p> | | |

| | | | |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| | <p>0.03cm x 0.16 +/-0.1128cm. thk . M. S. E. R. W. Tube and black powder coated (DFT 40-60 microns). The tubular armrest supports hold together the seat and back.4. TUBULAR FRAME : The tubular frame is cantilever type & made of 2.54 +/-0.03cm x 0.2+/-0.016cm. thk M.S. E.R.W tube and black powder coated (DFT 40-60 microns). DIMENSIONS: Width 55.0cm, Depth 61.0cm. Height. 80.0c.m, Seat Height.43.0cm.</p> | | |
| 7 | <p>DISPLAY RACK FOR EXECUTIVE ROOM-(Godrej Impress back unit/ Equivalent) Providing and supplying display rack with width of main unit 1800mm and Height 1890mm(Incl.85 Skirting) and depth 400mm. Panels will be of 18mm thick prelam particle board, side panesls:18mm thick Prelaminated paricle board (PLPB) to form a bank of racks having common side panel. The display should be suitable for magazines, periodicals, aesthetically appealing at an angle for easy viewing, should have 4 door shutters in the bottom and four door shutter on top of the unit Distributed Load Capacity per shelf should be 35 kg. These boards should meet international standards of quality and safety, as per EN312, type P II, E2 and Indian standards IS 3087, grade II should meet stringent norms of bending strength, screw-withdrawal strength and modulus of elasticity. All fittings are of HETTICK make.</p> | | |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| 8 | <p>Almirah Plain full size -Godrej Storewel/ Equivalent Product size:- 916mm(W)x486mm(D)x1980mm(H).Co nstruction & Material:-Welded construction,0.7mm thk CRCA for shelf,0.8mm thk CRCA for back,0.8mm thk high yield strength CRCA for Door.0.9mm thk CRCA for all other components.Shelving:-Height wise adjustable shelf mounting.Uniformly distributed load capacity per each full shelf is 40kg max.,4nos of adjustable full self</p> | | |
| 9 | <p>OPEN RACK- Godrej Easy Rack/ Equivalent</p> | | |
| 10 | <p>Personal Locker- Godrej PLU-8 Door/ Equivalent Product Size:380mm(W) x 450mm(D) x 1830mm(H).DMX Drg.-PL13-A4-33797, R1 – 4 Sheets (CamLock).DMX Drg.- PL13-A4-36467, R1 – 4 Sheets (Hasp).Models:4Door.Locking:10 Lever cam lock with lock lever.Option of hasp arrangement.Material:CRCA 0.6mm Thickness.Construction:Rigid knockdown construction.Shelf:Uniformly Distributed Load Capacity per each shelf level is 35 Kg maximum.Finish:Epoxy Polyester Powder coated to the thickness of 50microns (+/- 10).Ventilation:Attractive punched pattern for ventilation</p> | | |
| 11 | <p>warranty: As per OEM Warranty</p> | | |

FINANCIAL BID
SUPPLY AND INSTALLATION
OF
Furniture items
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-000741-EM-16-17

www.tenderwizard.com/NISER

| Vendor Name | | | | | | | |
|--------------------|------------------------------------------------------------------------|------------------|-------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SL. No. | Item Specification | Qty (Nos) | Type of Currency | Unit Price in Foreign currency as per terms & condition no.15(d) of Tender document. | Total Price in Foreign Currency as per terms & condition no.15(d) of Tender document. | Unit Price in INR as per terms & condition no.15(b) of Tender document. | Total Price in INR as per terms & condition no.15(b) of Tender document. |
| 1 | Exicutive Table (As per technical Specification) | 2 | | | | | |
| 2 | Staff Table (As per technical Specification) | 10 | | | | | |
| 3 | Chair for Execuve Table (As per technical Specification) | 2 | | | | | |
| 4 | Chair for Executive Visitor (As per technical Specification) | 6 | | | | | |

| | | | | | | | |
|----|----------------------------------------------------------------------------|----|--|--|-------------|--|-------------|
| 5 | Chair For Staff (As per technical Specification) | 10 | | | | | |
| 6 | Chair for Staff Visitor (As per technical Specification) | 20 | | | | | |
| 7 | DISPLAY RACK FOR EXECUTIVE ROOM (As per technical Specification) | 2 | | | | | |
| 8 | Almirah Plain full size (As per technical Specification) | 12 | | | | | |
| 9 | OPEN RACK (As per technical Specification) | 4 | | | | | |
| 10 | Personal Locker (As per technical Specification) | 6 | | | | | |
| | Sub-Total | | | | 0.00 | | 0.00 |
| | Agency Commission | | | | | | |
| | GST Charge If Any | | | | | | |
| | Grand Total | | | | 0.00 | | 0.00 |