



राष्ट्रीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, भूवनेश्वर
(परमाणु उर्जा विभाग, भारत सरकार का एक स्वयं शासित संस्थान)
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, BHUBANESWAR
(An autonomous Institution under Department of Atomic Energy, Govt. of India)

Notice Inviting E-Tender No. NC-001209-PHY-18-19

**RADIATION SAFETY MONITORING DEVICES
(ITEMS FOR 400 KEV ION BEAM LAB)**



**NATIONAL INSTITUTE OF SCIENCE EDUCATION & RESEARCH
JATNI CAMPUS, P.O. – BHIMPUR-PADANPUR, VIA-JATNI
KHURDA – 752050, ODISHA, INDIA**

Notice Inviting E-Tender No. NC-001209-PHY-18-19

E- Tenders are invited on behalf of the Director, National Institute of Science Education and Research, Jatni from the manufacturers(Indian or Foreign) and their authorised reseller/Indian agent only for supply & installation of the following items:-

<i>Sl. No.</i>	<i>Name of the Items</i>	<i>Tender No.</i>	<i>Name of Department</i>	<i>Qty. Unit</i>	<i>EMD in INR</i>
01	RADIATION SAFETY MONITORING DEVICES (ITEMS FOR 400 KEV ION BEAM LAB)	NC-001209-PHY-18-19	SPS	Many	20,994.00

NB: PARTIES REGISTERED WITH SSI/NSIC/MSME/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. There is no exemption for TENDER FEE. (IF APPLICABLE)

• **Tender Enquiry No: NC-001209-PHY-18-19**

• **Last date of submission of E-bid** : 30.04.2019 up to 12.30 P.M

• **Opening of both Technical & Financial Bids** : 30.04.2019 at 02.30 P.M

Standard E-Tender Terms & Conditions

1. The details of tender notification can be downloaded from www.tenderwizard.com/NISER under "Tender Free View" link.
2. Vendors should obtain the USER ID and PASSWORD from www.tenderwizard.com/NISER by clicking on "REGISTER ME" link in the homepage.
3. The Vendor registration fee has to be paid to ITI Ltd for Rs. 1180/- including GST. Using the e-payment link provided at the time of registration, and the mode of payments are Credit Card, Debit Card and Internet Banking. Vendor Registration is Valid for 1year.
4. For further details on e-Tender participation, please contact ITI Help desk on
 - Telephone: 080-49352000/9686115318
 - Email: harishkumar.kb@etenderwizard.com, ambasa@etenderwizard.com.
5. Tenders should be submitted only through e-Tender portal and obtain the Tender Acknowledgement copy as a proof of successful submission.
6. Tender documents for viewing only are also available in NISER web-site address: www.niser.ac.in.
7. All corrigendum and addendum will be published on NISER website and tender wizard portal.
8. NISER is publishing all of its public and limited tender on NISER website.
9. **For any query regarding tender terms & conditions please send email to spo@niser.ac.in.**

The Institute can provide following documents.

1. **Custom Duty exemption certificate. (for custom duty @5.15%)**
2. **GST exemption certificate. (for GST @ 5%)**



**TERMS & CONDITIONS
FOR SUPPLY AND INSTALLATION OF
RADIATION SAFETY MONITORING DEVICES
(ITEMS FOR 400 KEV ION BEAM LAB)
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-001209-PHY-18-19**

1. Director, National Institute of Science Education & Research, Jatni (NISER) invites e- tenders for **RADIATION SAFETY MONITORING DEVICES (ITEMS FOR 400 KEV ION BEAM LAB)** from the Manufacturer and their authorised reseller only having following credentials.
 - A. Should have satisfactorily completed **similar supply** (at least one of them in Central Government/Central Autonomous Body/Central PSU)
 - B. **Similar or Similar Nature of work means** Supply and installation of **RADIATION SAFETY MONITORING DEVICES (ITEMS FOR 400 KEV ION BEAM LAB)** for any of the following :
 - a) **Government/Autonomous Institutions**
 - b) **Government Research Centres**
 - c) **Universities**
 - d) **Autonomous/Reputed Private Research Centres**
 - e) **Purchase Orders / Completion certificates if any, for supporting above requirements.**

The Bidders are requested to give detailed tender in the prescribed forms in Single Bid.

2. **Contact for information:** (Only E-mail enquiries will be entertained)
For Technical Information of RADIATION SAFETY MONITORING DEVICES (ITEMS FOR 400 KEV ION BEAM LAB):

Dr. Harapasanna Lenka

School of Physical Science, NISER.

E-mail – Dr. Harapasanna Lenka (hpl@niser.ac.in)

For Information regarding Commercial & all other Terms & Conditions:

Dr. Chandra Shekhar Purohit

FIC Stores & Purchase

National Institute of Science Education & Research, Jatni

E-mail- spo@niser.ac.in

3. **Supply means:**

“Supply, Installation, Commissioning and satisfactory demonstration of the whole equipments”.

4. **Tender Document:**

a) Tender documents contain following:

- i. Detail tender document in word document to read & download only.
- ii. E-Tender in excel sheet for e-submission.
 - General rules
 - Technical Bid
 - Financial Bid

All parts are mandatory to fill & submit.

- b) The purpose of certain specific conditions is to get or procure best product/service etc. for NISER. The opinion of Technical Committee shall be the guiding factor for technical short listing.
- c) The earnest money deposit as indicated against the item should be send by post so that it reaches on or before the opening of the technical bid for e-tender system in the form of Account Payee. Bank Draft payable on any branch of Nationalised/Schedule Bank at Bhubaneswar/ Jatni in favour of “Director, National Institute of Science Education & Research, Jatni”, in a separate sealed envelope. All tenders submitted without requisite amount of earnest money shall be rejected and their technical and financial bids shall not be opened. No interest is payable on EMD. The EMD will be returned to the bidders(s)/Agents whose offer is not accepted by NISER within one month from the date of the placing of the final order(s) on the selected bidder(s). In case of the bidder(s) whose offer is accepted the EMD will be returned on submission of Performance Bank Guarantee (if applicable). However, if the return of EMD is delayed for any reason, no interest /penalty shall be payable to the bidders.

EMD EXEMPTION:

PARTIES REGISTERED WITH SSI/NSIC/MSME/DAE AND FOREIGN PARTIES QUOTING DIRECTLY ARE EXEMPTED FROM PAYING EMD. FOREIGN PARTIES QUOTING DIRECTLY UNDER ORIGINAL SEAL AND SIGNATURE (NOT SCANNED) WILL GET THE EXEMPTION.

The EMD shall be forfeited:

If the bidder withdraws the bid during the period of bid validity specified in the tender. In case a successful bidder fails to furnish the Performance Bank Guarantee.

- a) Undertaking that the successful bidder agrees to give a Performance Bank Guaranty of 10% of the purchase order value in favour of “Director, National Institute of Science Education & Research, Jatni valid till warranty period plus two months claiming period. **(NOT REQUIRED)**.
- b) If the bid is for branded makes, authorization letter from principals clearly indicating that the vendor is the competent authority to sell and provide services towards the items mentioned in the scope of supply given in this tender document.
- c) Copy of GST No. and PAN No. allotted by the concerned authorities.
- d) List of deliverables / Bill of materials and services.
- e) Compliance sheet with any deviation with reference to the terms and specifications.
- f) The item should be supplied with manuals and the manuals including technical drawings should be complete in all respects to operate the system without any problem.

“Commercial Bid” shall contain:

- a) Price schedule complete in all respects. **Tender with any condition including conditional rebate shall be rejected forthwith.**
- b) Cost of all the items should be mentioned clearly and individually in the Commercial Offer only.
- c) **The Bidders are requested to quote for Educational/Institutional Price for Machine/ Equipment and, since we are eligible for the same.**
- d) **Printed conditions of the vendor submitted with the tender will not be binding on NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH.**
- e) **The bidders must have to attach the technical and financial bid with all terms and conditions separately in PDF format also.**

5. Tender process & award of contract.

The technical bids will be evaluated to shortlist the eligible bidders. Bidders whose technical offer is found acceptable and meeting the eligibility requirements as specified in this tender will only be consider for price comparison. Recommendation of technical committee will be posted on NISER website.

- **ONLY TECHNICALLY** accepted competitive bids will be considered for placing Purchase Order.

- **Purchaser's Right to vary Quantities at the time of Award:** NISER reserves the right at the time of award of Contract to increase or decrease the quantity of items specified in the Schedule of Requirements without any change in price or other terms and conditions.
- 6. **The Director NISER reserves the right to accept the offer in full or in parts or reject summarily or partly.**

7. Delivery Period / Timeliness

The deliveries, installation must be completed within 75 days, after placement of purchase order. The time is the essence of the contract. It is mandatory for the bidders who respond to this bid to meet these expectations, as they are tightly linked to NISER's plans of completing the project within the time frame.

8. Locations for the Supply / Services

The Laboratory Equipments covered by this document is required to be supplied at School of Physical Sciences of NISER, Jatni.

9. Order Placement and Release of Payment

The Purchase Order and payment shall be processed by –

FIC Stores & Purchase

**National Institute of Science Education & Research,
Jatni Campus, P.O. – Bhimpur-Padanpur, Via-Jatni,
Khurda – 752050, Odisha, INDIA**

Payment for the items to be supplied by the vendor against the purchase order shall be made by National Institute of Science Education & Research as follows:-

INR payment:-

100% payment to be released after receipt of material, installation and submission of warranty certificate. (depending upon the requirement NISER can also release 80% on shipment & 20% after installation)

Foreign Currency payment: - (Please choose any one depending upon the requirement)

1. 100% payment will be made through Letter of Credit. 80% will be paid after submission original shipping documents & balance 20% will be released after satisfactory installation, commissioning, warranty certificate and along with submission of Performance Bank Guarantee.
2. 100% payment to be released after receipt of material, installation and submission of warranty certificate.
3. 80% will be paid after submission original shipping documents & balance 20% will be released after satisfactory installation, commissioning, warranty certificate and along with submission of Performance Bank Guarantee. **(Without LC)**

The tenderers who are not agreeing to above payment terms are requested not to submit their tender otherwise their EMD will be forfeited.

10. **NISER** will not provide any accommodation/transportation for the engineers/ representatives for attending installation, commissioning and demonstration work. It is the absolute responsibility of the Principal Supplier/Indian Agent to make their own arrangements.

11. **The successful bidder**, on award of contract / order, must send the contract / order acceptance in writing, within 7 days of award of contract / order failing which the EMD will be forfeited.

12. Period of validity of bids

- Bids shall be valid for a period of 90 days from the date of opening the Technical bid.
- NISER may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. The bidder is free not to accept such request without forfeiting the EMD. A bidder agreeing to the request for extension will not be permitted to modify his bid.
- Bid evaluation will be based on the bid prices without taking into consideration the above corrections.

13. Corrupt or Fraudulent Practices

NISER requires that the bidders who wish to bid for this project have highest standards of ethics. NISER will reject a bid if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices while competing for this contract. NISER may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded a contract if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contract.

14. Interpretation of the clauses in the Tender Document / Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, Director, NISER's interpretation of the clauses shall be final and binding on all parties.

15. Price

- (a) The price quoted shall be considered firm and no price escalation will be permitted at any time. The quotation should be in Indian Rupees or any known foreign currency.
- (b) **In case of INR bids:** The price criteria should be on delivered at NISER, Jatni including Free onsite comprehensive warranty, installation, commissioning, Training, demonstration, packing, transportation, insurance, loading & unloading (At NISER) etc. charges. Govt. Levies like GST, etc., if any, shall be paid at actual rates applicable on the date of delivery. Rates should be quoted accordingly giving the basic price, GST, etc., if any.
- (c) Please provide GST no. allotted by the concerned authorities in your quotation.
- (d) **In case of Foreign Currency bids:** - The price criteria will be FOB nearest International Airport/Sea Port including Free onsite comprehensive warranty, installation, commissioning & Training & demonstration charges. Agency Commission if any is required to be quoted separately in Financial bid which will be paid directly to Indian agent in INR.

16. Pre-installation:

Pre-installation facilities required for installation may please be intimated in the technical bid. Subsequently, before the consignment lands in NISER, Jatni the bidder shall confirm that the pre-installation requirements are sufficient for installation of the equipments. In other words the bidder should continuously monitor the pre-installation requirements and see that everything is ready before the consignment is taken to the site for installation.

17. Installation, Warranty & Support

Bidder shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter.

- The items covered by the schedule of requirement shall carry minimum ***One year onsite comprehensive free warranty from the date of installation*** of the equipment by NISER. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.
- ***The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom***

duty, GST, local taxes if any should be borne by the beneficiary or his agent. A clear confirmation should be given for this item.

- The bidder shall assure the supply of spare parts after warranty is over for maintenance of the equipment supplied if and when required for a period of 05/10 years from the date of supply of equipment on payment on approved price list basis.
- The equipment must be supported by a Service Centre manned by the principal vendor's technical support engineers. The support through this Centre must be available 24 hours in a day, three days a week and 365 days a year. Also it should be possible to contract the Principal's vendor support Centre on a toll free number/web/mail.
- The vendor will have to arrange for all the testing equipment & tools required for installation, testing & maintenance etc.

18. Indemnity

- The vendor shall indemnify, protect and save NISER against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment's supplied by him.
- The successful will be fully responsible for payment of wages and other dues as prescribed and compliance of various Labour Laws.
- The successful tender should give an undertaking that the staff deployed at the centre in terms of this contract at all time will be employees of the agency exclusively and they shall not be entitled to any claim of employment or permanency of job with NISER.
- NISER reserves the right to forfeit whole or part of the security money towards any damage/lose caused due to the negligence on the part of the agency engaged.

19. Insurance

The equipment's to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NISER site in case of Rupee/Foreign currency transaction.

20. Penalty for delayed Services / LD

As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Otherwise the bidder will forfeit EMD/SD and also LD clause will be applicable /enforced.

If the supplier fails to Supply, Install and Commission the equipment as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 1% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.

NISER reserves the right to cancel the order in case the delay is more than 30 days Penalties, if any, will be deducted from the EMD.

21. Jurisdiction

If a dispute arises out of or in connection with the contract, or in respect of any defined legal relationship associated therewith or derived there from, the parties agree to submit that dispute to arbitration under the ICADR Arbitration Rules, 1996.

The authority to appoint the arbitrator(S) shall be the International Centre for alternative dispute resolution.

The International Centre for Alternative Dispute Resolution will provide administrative services in accordance with the ICADR arbitration Rules, 1996.

DECLARATION BY THE VENDOR

It is hereby declared that I/We the undersigned, have read and examined all the terms and conditions etc. of the tender document for which I/We have signed and submitted the tender under proper lawful Power of Attorney. It is also certified that all the terms and conditions of the tender document are fully acceptable to me/us and I/We will abide by the conditions from serial no. 1 to 21 and we have not given any printed conditions beyond the scope of this tender. This is also certified that I/We/our principal manufacturing firm have no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Date:

Signature:

Address:

Name:

Designation:

On behalf of:

(Company Seal)



**SUPPLY AND INSTALLATION
OF
RADIATION SAFETY MONITORING DEVICES
(ITEMS FOR 400 KEV ION BEAM LAB)
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-001209-PHY-18-19**

General Information –Self Attested			
Name of the Vendor		-	
Sl. No.	Basic Information	Please fill details	Page No. with name of the documents attached in support of information required
1	Name of the Company		
2	Full address of company along with Telephone no. Fax no. E-mail address :		
3	Local address of company for communication, if any		
4	Are you a manufacturer or dealer/reseller		
5	If dealer please attach certificate from your principal company clearly showing validity of the certificate		
6	If foreign supplier : Please give details of your Indian authorised partner if any		

7	<p>Annual turnover in last 3 financial years in Rs. Crores.</p> <p>(i) Year 2015-2016</p> <p>(ii) Year 2016-2017</p> <p>(iii) Year 2017-2018</p> <p>Please attach balance sheet</p>		
8	<p>Supply & Installation of "RADIATION SAFETY MONITORING DEVICES (ITEMS FOR 400 KEV ION BEAM LAB)" to our tendered of last 3 financial years in State Government or Govt. of India Department(s) /Reputed Organisation(s) (in Nos. and Value)</p> <p>(Please attach list of clients)</p> <p>(i) Year 2015-2016</p> <p>(ii) Year 2016-2017</p> <p>(iii) Year 2017-2018</p> <p>Please attach copy of Purchase Order/ Completion Certificate</p>		
9	<p>GST Registration no. with Place</p>		
10	<p>Income Tax Registration no. with place</p>		
11	<p>Photocopy of EMD</p>		
12	<p>Name and address on whom purchase order will be placed</p>		
13	<p>Bank details of the supplier on which order will be placed</p>		

14	If you are claiming exemption certificate under SSI/DGS&D/DAE, Please attach self attested copy of certificate which should be valid during the tender process		
15	Service centre details & principal vendor support centre		
16	Delivery period :Please mention time of delivery & Installation		
17	Declaration to be submitted by Vendor		
18	Free 01 Year Standard onsite OEM warranty from the date of installation		



TECHNICAL BID

**SUPPLY AND INSTALLATION
OF
RADIATION SAFETY MONITORING DEVICES
(ITEMS FOR 400 KEV ION BEAM LAB)
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-001209-PHY-18-19**

Name of the Vendor			
SL. No.	Item Specification	Accepted/Not Accepted/Deviation if any. Please specify your specification if deviation is there	Page No. of your specifications/Brochure/ Deviation, etc attached in support of your specification/deviation
	<p>The technical quote must be accompanied by a detailed technical document of the equipment components quoted from OEMs. Description proving compliance to each of the above technical requirement must be clearly highlighted in the said technical document, and the serial number of the related technical point must be noted next to the highlighting. In case the specific information is not present in the document, it must be clearly mentioned with a web-link, where in the website of the OEM such information about the quoted equipment can be found. Failure to satisfy these conditions or unavailability of information to prove the technical features, or incomplete or unclear or false information provided in the technical quote will be grounds for summary disqualification. The onus is on the quoting party to provide all the information required for technical assessment, and such assessment will be carried out solely on the basis of the information provided to NISER in the technical quote.</p>		

**AERB Related Purchase for 400 KeV
Ion Beam Lab, SPS, NISER:**

Area Gamma Monitor (AGM):

- **General Specs:** Digital Controller for Radiation Monitoring
- Supports GM, Proportional, Scintillation Detectors
- Adjustable Audio & Visual Alarms
- With options of Ethernet Hardware interface & Ethernet Software Application

Detailed Specs:

Indicated Use: Area monitoring

Detector: Geiger-Mueller

Range: 0.1 mR/hr - 10 R/hr (0.01 mSv/h to 100 mSv/h)

Display: 4 digit LED display with 0.8"(2cm) character height

Display Range: 1 mR/hr - 4 R/hr

Display Units: Can be made to display in micro R/hr, mR/hr, R/hr, microSv/h, mSv/h, Sv/h, cpm, cps, and others

Linearity: Reading within plus or minus 10% of true value

1 **Response:** Typically 3 seconds from 10% to 90% of final reading

Status: (green light) Indicates the instrument is functioning properly

Low Alarm: Indicated by a yellow light and slow beep (1 per second) audible tone (can be set at any point from 0.0 - 9999)

High Alarm: Indicated by a red light and fast beep (4 per second) audible tone (can be set at any point from 0.0 - 9999)

Note: Audible indicators can be configured as a single beep if desired.

Detector Fail: (red light and audible tone; greater than 68 Db at 2 feet)

Indicates detector overload, no count from detector, or instrument failure

Low Bat: (yellow) Indicates less than 2 hours of battery power remaining

Connector: Series "C" (others available)

Calibration Controls: Accessible from front of instrument (protective cover provided)

High Voltage: Adjustable from 200 - 2500 volts

Threshold: Adjustable from 2 - 100 mV

Dead Time: Adjustable to compensate for dead time of the detector and electronics (can be read on the display)

	<p>Overload: Senses detector saturation (indicated by display reading "-OL-")</p> <p>Over range: Indicates the radiation field being measured has exceeded the counting range of the instrument (indicated by display reading "----")</p> <p>Data Output: Optional relay output available for connecting remote displays, 9 pin connector providing 5 decade log output, RS-232 output, signal ground connection, FAIL and Alarm signals (current sink), and direct connection to battery and ground</p> <p>Power: 95 - 135 VAC (178 - 240 VAC available), 50 - 60 Hz single phase (less than 100 mA), 6 volt sealed lead acid rechargeable battery (built in)</p> <p>Battery Life: Typically 48 hours in non-alarm condition, 12 hours in alarm condition</p> <p>Battery Charger: Battery needs to be continuously trickle charged when instrument is connected to line power and turned on</p> <p>AGM Housing or Casing Construction: Aluminium housing with ivory polyurethane enamel paint</p> <p>Temperature Range: -4° F(-20° C) to 122° F(50° C) May be certified for operation from -40° F(-40° C) to 150° F(65° C)</p> <p>Size: Standard: (19 cm)H X (25 cm)W X (7.0 cm)L</p> <p>Weight: ~ 2.5 kg</p>		
2	<p>Ethernet Hardware interface for AGM Networking: Ethernet Hardware interface with Ethernet Software application Details:</p> <ul style="list-style-type: none"> • RS-232 Logging Software • Ethernet Software • Ethernet hardware interface • Webpage and Service Software • Universal Software • Webpage hardware interface (supports Webpage and Service Software and Universal Software) 		

3	<p>Remote: Remote device with Digital readout display</p>		
4	<p><u>Digital Micro R Survey Meter</u> Digital Background Survey Meter:</p> <p><u>Specific Features:</u> Large Backlit LCD for Ease of Reading Auto ranging - Hands Free Sigma Audio and Bright LED Simplifies Searching Light Weight and Ruggedly Built Splash-Resistant Construction for Outdoor Use 4-Button Intuitive Interface for Easy Operation USB Port Rate, Max, and Count Modes of Operation</p> <p><u>Detailed Specs:</u></p> <p>Detector: Internal CsI scintillator with 175 cpm per $\mu\text{R/hr}$ sensitivity</p> <p>Detector Range: 0 to 500 $\mu\text{Sv/h}$ (0 to 50 mR/hr)</p> <p>Energy Range: Nonlinear</p> <p>LCD Display 3 digit LCD with large 20 mm (0.8 in.) digits, low-battery indicator, MAX, ALARM, AUDIO Units: (k)cps, (k)cpm, (k)Bq, (k)dpm, (μ)(m)R(/h), (μ)(m)Sv(/h)</p> <p>Display must contain: 0.0 cps to 99.9 kcps • 0.00 cpm to 999 kcpm • 0.00 Bq to 99.9 kBq • 0.00 dpm to 999 kdpm • 0.00 $\mu\text{R/h}$ to 999 R/h • 0.00 $\mu\text{Sv/h}$ to 999 Sv/h</p> <p>Backlight : Built-in ambient light sensor automatically activates lowpower LED backlight, unless internal dipswitch is set to continuous-On (will reduce battery life)</p> <p>Controls: ON/OFF/ACK Press to turn ON • Tap to acknowledge alarms and • silence alarm tone Press to reset Sigma Audio alarm • Hold for OFF •</p> <p>Mode Alternates between: NORMAL (count rate) • MAX (captures peak rate) • COUNT (user-selectable preset • count time from 0 to 10 min.) Number of modes can be reduced in setup</p>		

Audio- Turn “click” audio On/Off •Audio Turn Sigma Audio beep On/Off•

Units: Changes the units between: Count rate (cpm, cps)• Dose/exposure ($\mu\text{Sv/h}$, mR/h)• Disintegration (dpm, Bq)

Response Time : User-selectable from 1 to 60 s, or Auto-Response Rate FAST or SLOW

Alarms : Alarm setpoints adjustable over the display's range

Sigma audio beeps when radiation level changes

Loss of Count : Alarm Protection After preselected time interval (default 60 s) of no pulses from detector, audible and visual alarms will be activated

High Voltage :400 to 1500 Vdc

Audio :Greater than 75 dB at 0.6 m (2 ft), approximately 4.5 kHz

Temperature Range -20 to 50 °C (-5 to 122 °F) May be certified for operation from -40 to 65 °C (-40 to 150 °F)

Environmental Rating: NEMA rating of 4x or IP rating of 53

Power : Four alkaline or four rechargeable “AA” batteries (instrument does not support in-device charging)

Battery Life - Approximately 750 hours of operation (as low as 100 hours with backlight configured for continuous-on), 16-hour low battery warning

Construction : High-impact plastic with water-resistant rubber seals and separate battery compartment

Size: Standard

Weight: 1.1 kg

Digital Pocket Dosimeter :

Specific Features:

Sensitive to Gamma and X-ray 0 to 200 mR . Lightweight, Hermetically Sealed Sturdy Pocket Clip Should meet ANSI N13.5 & N322-1997, Should respond well to Fast Pulse X-Rays, Low Leakage, Measure Background

Detailed Specifications:

Range: 0 to 200 mR

Energy Response: 16 keV to 2 MeV

Radiation Detected: Gamma and X-ray from 16 keV to 6 MeV

Detector: Fibre electrometer mounted in an electrically conductive plastic ion chamber

5

Detector Housing: Very low permeability plastic, hermetically sealed

Accuracy: Within 10% of true exposure

Rate Response :Dose rate independent for gamma and X-ray radiation

Electrical Leakage :Less than 1.0% of full scale for 24 hours at 50 °C (122 °F)

Temperature Range -20 to 50 °C (-4 to 122 °F)

Relative Humidity: up to 90%

Finish :

Barrel and End Caps Natural matte black

Clip Color coded plastic (color signifies range) or metal clip

Size: (D x L) 1.5 x 12.4 cm

Weight :25 g

Warranty :1 year limited warranty

Qualifications: Should meet ANSI Specifications N13.5 and N322-1997

6	<p>Dosimeter Charger:</p> <p>Specific Features: Capable of Recharging Dosimeters Thousands of Times Battery Powered Lightweight LED Reading Light One-Turn Potentiometer Control</p> <p>Detailed Specifications:</p> <p>CONSTRUCTION: case is ABS plastic</p> <p>CONTROLS: one-turn potentiometer spring-loaded push rod</p> <p>POWER: two “AA” batteries</p> <p>TEMPERATURE RANGE: -18 to 49 °C (0 to 120 °F)</p> <p>RELATIVE HUMIDITY: up to 90%</p> <p>DIMENSIONS: Standard</p> <p>WEIGHT: ~300 gm</p>		
---	---	--	--



**FINANCIAL BID
SUPPLY AND INSTALLATION
OF
RADIATION SAFETY MONITORING DEVICES
(ITEMS FOR 400 KEV ION BEAM LAB)
FOR
NATIONAL INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, JATNI
Notice Inviting E-Tender No. NC-001209-PHY-18-19**

Name of the Vendor							
SL. No	Item Specification	Qty	Type of Currency	Unit Price in Foreign currency as per terms & condition no.15(d) of Tender document.	Total Price in Foreign Currency as per terms & condition no.15(d) of Tender document.	Unit Price in INR as per terms & condition no.15(b) of Tender document.	Total Price in INR as per terms & condition no.15(b) of Tender document.
1	Area Gamma Monitor (AGM) (Specifications as per technical bid) with Housing/Casing With 1 year OEM warranty	04 Units					
2	Ethernet Hardware Interface for AGM (Specifications as per technical bid) With 1 year OEM warranty	1 unit					
3	Remote with Analog display for AGM (Specifications as per technical bid) With 1 year OEM warranty	1 unit					
4	Digital Micro R Survey Meter (Specifications as per technical bid) With 1 year OEM warranty	1 unit					

5	Digital pocket Dosimeter (Specifications as per technical bid) With 1 year OEM warranty	10 units					
6	Digital pocket Dosimeter Charger (Specifications as per technical bid) With 1 year OEM warranty	1 unit					
	Sub-Total				0.00		0.00
	Agency Commission						
	GST Charge If Any						
	Grand Total				0.00		0.00